



6.0

Valvole Fleck

6.1 FLECK 149

| | |
|--|-----|
| VALVOLA RESIDENZIALE 4600 MECCANICA E 4600 ELETTRONICA SXT | 149 |
| VALVOLA 4600 MECCANICA CON ACCESSORI | 149 |
| VALVOLA 4600 ELETTRONICA SXT CON ACCESSORI | 149 |
| VALVOLA RESIDENZIALE 5600 MECCANICA E 5600 ELETTRONICA SXT | 150 |
| VALVOLA 5600 ELETTRONICA SXT CON ACCESSORI | 150 |
| VALVOLA TWIN 9000 TIMER MECCANICO E TIMER SXT | 151 |
| VALVOLA 9000 TIMER MECCANICO CON ACCESSORI | 151 |
| VALVOLA 9000 TIMER SXT CON ACCESSORI | 151 |
| VALVOLA TWIN 9100 TIMER SXT | 152 |
| VALVOLA TWIN 9500 TIMER MECCANICO E TIMER SXT | 153 |
| VALVOLA 9500 TIMER MECCANICO CON ACCESSORI | 153 |
| VALVOLA 9500 TIMER SXT CON ACCESSORI | 153 |
| VALVOLA INDUSTRIALE 2750 TIMER SXT | 154 |
| VALVOLA INDUSTRIALE 2850 TIMER SXT | 155 |
| VALVOLA INDUSTRIALE 2910 TIMER SXT | 156 |
| VALVOLA INDUSTRIALE 3150 TIMER NXT | 157 |
| VALVOLA INDUSTRIALE 3900 TIMER NXT | 158 |

6.2 ACCESSORI FLECK 159

| | |
|---|-----|
| YOKES | 159 |
| BY-PASS | 159 |
| VALVOLE SALAMOIA DI SICUREZZA | 160 |
| AIR CHECKS | 160 |
| TUBI DISTRIBUZIONE | 161 |
| DISTRIBUTORI INFERIORI | 161 |
| TUBI | 161 |
| CONTATORI IN LINEA PER SE, SXT, ET & NT | 161 |
| CONTATORI | 161 |
| VARI | 162 |

6.3 RICAMBI FLECK 163

| | |
|--------------------------------------|------------|
| RICAMBI 4600 | 163 |
| PARTS FOR OBSOLETE MODELS | 164 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 164 |
| RICAMBI 5600 | 165 |
| PARTS FOR OBSOLETE MODELS | 166 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 166 |

| | |
|---|------------|
| POWER HEAD 4600/5600 MECHANICAL/SXT | 167 |
| PARTS FOR OBSOLETE MODELS | 167 |
| RICAMBI 5800 | 168 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 169 |
| POWER HEAD 5800/5810/5812 | 169 |
| RICAMBI 9000 | 171 |
| PARTS FOR OBSOLETE MODELS | 171 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 171 |
| RICAMBI 9100 | 172 |
| PARTS FOR OBSOLETE MODELS | 173 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 173 |
| RICAMBI 9500 | 174 |
| PARTS FOR OBSOLETE MODELS | 175 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 175 |
| POWER HEAD 9000/9100/9500 | 177 |
| PARTS FOR OBSOLETE MODELS | 178 |
| RICAMBI 2750 | 178 |
| PARTS FOR OBSOLETE MODELS | 180 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 180 |
| RICAMBI 2850 | 181 |
| PARTS FOR OBSOLETE MODELS | 183 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 183 |
| RICAMBI 2910 | 184 |
| PARTS FOR OBSOLETE MODELS | 186 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 186 |
| POWER HEAD 2910 ADAPTER | 187 |
| POWER HEAD 2510/2750/2850/2910 UPPER | 187 |
| PARTS FOR OBSOLETE MODELS | 188 |
| RICAMBI 3150 | 188 |
| PARTS FOR OBSOLETE MODELS | 189 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 189 |
| RICAMBI 3900 | 191 |
| PARTS FOR OBSOLETE MODELS | 192 |
| PARTS FOR OTHER VALVE CONFIGURATIONS | 192 |
| POWER HEAD 3150/3900 UPPER | 193 |
| PARTS FOR OBSOLETE MODELS | 194 |
| PMECHA | 194 |

| | |
|---|------------|
| MECHANICAL TIMER 3200 SERIES/9000 SERIES | 195 |
| SPARE PARTS FOR OBSOLETE VALVES | 197 |
| RICAMBI 5000 SXT | 197 |
| POWER HEAD 5000 SXT | 197 |
| RICAMBI 6600/6665 & 6700/6765 | 198 |
| POWER HEAD 6600 | 198 |
| POWER HEAD 6700 | 199 |
| RICAMBI 7700 | 199 |
| POWER HEAD 7700 | 200 |
| RICAMBI 2510 | 201 |
| RICAMBI 5810 | 202 |
| RICAMBI 5812 | 203 |
| ALTRI RICAMBI | 204 |

6.1 FLECK

VALVOLA RESIDENZIALE 4600 MECCANICA E 4600 ELETTRONICA SXT

Caratteristiche tecniche:

- Portata esercizio 1 bar dP - 4,5 m³/h
- Portata controlavaggio 1,8 bar dP - 1,6 m³/h
- Attacco Bombola: 2" 1/2 8 NPSM
- Attacchi Ingresso/uscita: 1" a richiesta 3/4"
- Pressione di esercizio min 1,4 bar - max 8,5 bar
- Temperatura di Esercizio min 4°C - max 82°C (65°C versione volumetrica)
- Tensione di Alimentazione: 230 VAC
- Frequenza di Alimentazione: 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola addolcimento: 6"-12"



Per acqua calda

Accessori inclusi nella versione addolcimento

- Tubo Distributore HW Ø 27 x 1950 - Codice FLA21675
- Air Check HW 3/8" - Codice FLA23473
- Yoke ottone da 1" - Codice FLA13398-10
- Bombola filtro 9"-12" (DLFC 3/4") - 13"-21" (DLFC 1")

VALVOLA 4600 MECCANICA CON ACCESSORI

Valvola per applicazioni con acqua calda. Il corpo valvola è in ottone. La versione volumetrica può essere usata con acqua fino ad 65°C. La versione cronometrica può essere usata fino a 82°C.

- Salamoia regolabile
- Avvio rigenerazione Cronometrica: 12 giorni
- Avvio rigenerazione Volumetrica: ritardata



| Codice | Descrizione | € |
|------------|--|---|
| FL46001602 | Valvola 4600/1600 acqua calda 82°C completa | |
| FL46001606 | Valvola 4600/1600 3/4" Volume 8 m ³ acqua calda 65°C completa | |

VALVOLA 4600 ELETTRONICA SXT CON ACCESSORI

Valvola per applicazioni con acqua calda. Il corpo valvola è in ottone ideale per applicazioni di addolcimento e filtrazione, con scheda elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione.

- Display retroilluminato
- Completa programmabilità del ciclo rigenerativo
- Partenza della rigenerazione: cronometrica, volumetrica immediata, volumetrica ritardata, manuale
- Indicatori di servizio e di auto diagnosi
- Opzioni avanzate di programmazione, incluso la possibilità di programmare fino a 6 cicli di rigenerazione con regolazione indipendente dei tempi
- Possibilità di doppio controlavaggio



| Codice | Descrizione | € |
|------------|---|---|
| FL46001612 | Valvola Fleck 4600/1600 SXT acqua calda 82°C completa | |

VALVOLA RESIDENZIALE 5600 MECCANICA E 5600 ELETTRONICA SXT

Caratteristiche tecniche:

- Portata esercizio 1 bar dP: 4,5 m³/h
- Portata controlavaggio 1,8 bar dP: 1,6 m³/h
- Attacco Bombola: 2" 1/2 8 NPSM
- Attacchi Ingresso/uscita: 1" a richiesta 3/4"
- Pressione di Esercizio: min 1,4 bar - max 8,5 bar
- Temperatura di Esercizio: min 4°C - max 43°C
- Tensione di alimentazione 230 VAC o Trasformatore 230-24 VAC
- Alimentazione Motore: 230 Vac o 24 Vac
- Frequenza di alimentazione: 50 Hz
- Materiale corpo valvola: Noryl™
- Bombola addolcimento: 6"-12" (1600)
- Bombola Filtrazione: 6"-10" (1600)

Accessori inclusi nella versione addolcimento

- Tubo Distributore Ø 27 x 1160 mm - Codice ARI00364
- Diffusore di Fondo Ø 27 - Codice ARI00355
- Yoke ottone da 1" - Codice FLA13398-10
- Air Check 3/8" - Codice FLA18168

Accessori inclusi nella versione filtro

- Tubo Distributore Ø 27 x 1160 mm - Codice ARI00364
- Diffusore di Fondo Ø 27 - Codice ARI00355
- Yoke ottone da 1" - Codice FLA13398-10



€

| Codice | Descrizione |
|------------|--|
| FL56001601 | Valvola 5600/1600 220v completa |
| FL56001605 | Valvola 5600/1600 3/4" Volume 8 m ³ 220v completa |

VALVOLA 5600 ELETTRONICA SXT CON ACCESSORI

Valvola residenziale in materiale plastico, per applicazioni di addolcimento filtrazione, con scheda elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione.

- Display retroilluminato
- Completa programmabilità del ciclo rigenerativo
- Partenza della rigenerazione: cronometrica, volumetrica immediata, volumetrica ritardata, manuale
- Indicatori di servizio e di auto diagnosi
- Opzioni avanzate di programmazione, incluso la possibilità di programmare fino a 6 cicli di rigenerazione con regolazione indipendente dei tempi
- Possibilità di doppio controlavaggio



€

| Codice | Descrizione |
|------------|--|
| FL56001616 | Valvola 5600/1600 SXT completa |
| FL56001621 | Valvola 5600/1600 SXT 3/4" Volume completa |
| FL5600SXTF | Valvola 5600/1600 SXT Filtro completa |

VALVOLA TWIN 9000 TIMER MECCANICO E TIMER SXT

Caratteristiche tecniche:

- Portata esercizio Valvola da 3/4": 1 bar dP - 4,0 m³/h
- Portata esercizio Valvola da 1": 1 bar dP - 4,7 m³/h
- Portata controlavaggio 1,8 bar dP - 1,9 m³/h
- Attacchi Ingresso/uscita: 3/4" o 1"
- Attacco Bombola: 2" 1/2 8 NPSM
- Pressione di Esercizio: min 1,8 bar - max 8,5 bar
- Temperatura di Esercizio: min 4°C - max 43°C
- Tensione di alimentazione: Trasformatore 230 - 24VAC
- Frequenza di alimentazione: 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola addolcimento 6"-16" (1600)

Accessori inclusi nella fornitura

- Tubo Distributore Ø 27 x 1600 mm - Codice ARI00365
- Diffusore di Fondo Ø 27 - Codice ARI00355
- Yoke ottone da 1" - Codice FLA13398-10
- Air Check 3/8" - Codice FLA18168

VALVOLA 9000 TIMER MECCANICO CON ACCESSORI

Valvola industriale con corpo in Bronzo per applicazioni di addolcimento con servizio alternato e rigenerazione volumetrica immediata.

- Rigenerazione con acqua addolcita
- Avvio rigenerazione Volumetrica: Immediata



| Codice | Descrizione |
|------------|---|
| FL90001605 | Valvola 9000/1600 3/4" Volume 8 m ³ |
| FL90001606 | Valvola 9000/1600 3/4" Volume 40 m ³ |
| FL90001610 | Valvola 9000/1600 1" Volume 20 m ³ |

VALVOLA 9000 TIMER SXT CON ACCESSORI

Valvola industriale con corpo in Bronzo per applicazioni di addolcimento con servizio alternato e rigenerazione volumetrica immediata. Il funzionamento è completamente gestito dalla scheda elettronica interamente programmabile.

- Rigenerazione con acqua addolcita
- Avvio rigenerazione Volumetrica: Immediata



| Codice | Descrizione |
|------------|--|
| FL90001616 | Valvola 9000/1600 SXT 3/4" Volume completa |

VALVOLA TWIN 9100 TIMER SXT

Valvola industriale con corpo in materiale plastico per applicazioni di addolcimento con servizio alternato e rigenerazione volumetrica immediata. Il funzionamento è completamente gestito dalla scheda elettronica interamente programmabile.

Display retroilluminato

Completa programmabilità del ciclo rigenerativo

Rigenerazione volumetrica immediata

Rigenerazione con acqua addolcita

Caratteristiche tecniche:

- Portata esercizio Valvola da 3/4": 1 bar dP - 4,0 m³/h

- Portata esercizio Valvola da 1": 1 bar dP - 4,4 m³/h

- Portata controlavaggio 1,8 bar dP - 1,9 m³/h

- Attacco Bombola: 2" 1/2 8 NPSM

- Attacchi Ingresso/uscita: 3/4" o 1"

- Pressione di Esercizio: min 1,4 bar - max 8,5 bar

- Temperatura di Esercizio: min 4°C - max 43°C

- Tensione di alimentazione: Trasformatore 230 - 24VAC

- Alimentazione Motore: 24 VAC

- Frequenza di alimentazione: 50 Hz

- Materiale corpo valvola: Noryl™

- Bombola addolcimento 6"-16" (1600)



Accessori inclusi nella versione addolcimento

Tubo Distributore Ø 27 x 1600 mm - Codice ARI00365

Diffusore di Fondo Ø 27 - Codice ARI00355

Yoke ottone da 1" - Codice FLA13398-10

Air Check 3/8" - Codice FLA18168

| Codice | Descrizione | € |
|------------|--|---|
| FL91001616 | Valvola 9100/1600 SXT 3/4" Volume completa | |

VALVOLA TWIN 9500 TIMER MECCANICO E TIMER SXT

Caratteristiche tecniche:

- Portata esercizio 1 bar dP - 8,4 m³/h

- Portata controlavaggio 1,8 bar dP - 3,3 m³/h

- Attacchi Ingresso/uscita 1" 1/2

- Attacco Bombola: 4"

- Pressione di esercizio min 1,8 bar - max 8,5 bar

- Temperatura di Esercizio min 4°C - max 43°C

- Tensione di alimentazione 230 VAC

- Alimentazione Motore: 24 VAC

- Frequenza di alimentazione 50 Hz

- Materiale corpo valvola: Bronzo

- Bombola addolcimento 14"-16" (1600) 18"- 24" (1700)



Accessori inclusi nella fornitura

Tubo Distributore Ø 50 x 1660 mm - Codice FLA21148-01

Diffusore di Fondo Ø 50 - Codice FLA18396

Tubi collegamento per bombole da 20" - Codice FLA28137-20 (Versione 1600)

Tubi collegamento per bombole da 24" - Codice FLA28137-24 (Versione 1700)

Air Check 3/8" - Codice FLA18168 (Versione 1600)

Air Check A.C.900 - Codice 18979 (Versione 1700)

VALVOLA 9500 TIMER MECCANICO CON ACCESSORI

Valvola industriale con corpo in Bronzo per applicazioni di addolcimento con servizio alternato e rigenerazione volumetrica immediata.

Avvio rigenerazione Volumetrica: Immediata

| Codice | Descrizione | € |
|------------|--|---|
| FL95001605 | Valvola 9500/1600 1" 1/2 Volume 40 m ³ completa | |
| FL95001705 | Valvola 9500/1700 1" 1/2 Volume 40 m ³ completa | |

VALVOLA 9500 TIMER SXT CON ACCESSORI

Valvola industriale con corpo in Bronzo per applicazioni di addolcimento con scheda elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione, con servizio alternato.

Display retroilluminato

Completa programmabilità del ciclo rigenerativo

Avvio rigenerazione: volumetrica immediata

| Codice | Descrizione | € |
|------------|--|---|
| FL95001616 | Valvola 9500/1600 SXT 1" 1/2 Volume completa | |
| FL95001716 | Valvola 9500/1700 SXT 1" 1/2 Volume completa | |

VALVOLA INDUSTRIALE 2750 TIMER SXT

Valvola elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione. La parte di comando è protetta da eventuali spruzzi di acqua da un coperchio di tenuta con guarnizione per ottenere un grado di protezione IP44.

Corpo valvola in Bronzo

Avvio rigenerazione : Manuale, Cronometrica, Volumetrica

Caratteristiche tecniche:

- Portata esercizio 1 bar dP - 5,9 m³/h
- Portata controlavaggio 1,8 bar dP - 5,6 m³/h
- Attacco Bombola: 2" 1/2 8 NPSM
- Attacchi Ingresso/uscita 1"
- Pressione di esercizio min 1,8 bar - max 8,5 bar
- Temperatura di Esercizio min 1°C - max 43°C
- Tensione di alimentazione: Trasformatore 230-24 VAC
- Frequenza di alimentazione 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola Addolcimento 10"-16" (1600) - 21"-24" (1700)
- Bombola Filtrazione 10"-21"



Accessori inclusi nella versione addolcimento

- Tubo Distributore Ø 27 x 1600 mm - Codice ARI00365
- Diffusore di Fondo Ø 27 - Codice ARI00355
- Air Check 3/8" - Codice FLA18168 (Versione 1600)
- Air Check A.C.900 - Codice FLA18979 (Versione 1700)

Accessori inclusi nella versione filtrazione

- Tubo Distributore Ø 27 x 1600 mm - Codice ARI00365
- Diffusore di Fondo Ø 27 - Codice ARI00355

VALVOLA 2750 CON ACCESSORI

| Codice | Descrizione | € |
|------------|--|---|
| FL27501626 | Valvola 2750/1650 SXT 3/4" Volume completa | |
| FL27501631 | Valvola 2750/1650 SXT 1" Volume completa | |
| FL27501716 | Valvola 2750/1710 SXT Timer completa | |
| FL27501721 | Valvola 2750/1710 SXT 1" Volume completa | |
| FL2750SXTF | Valvola 2750 SXT Filtro completa | |

VALVOLA INDUSTRIALE 2850 TIMER SXT

Valvola elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione. La parte di comando è protetta da eventuali spruzzi di acqua da un coperchio di tenuta con guarnizione per ottenere un grado di protezione IP44.

Corpo valvola in Bronzo

Avvio rigenerazione : Manuale, Cronometrica, Volumetrica

Caratteristiche tecniche:

- Portata esercizio 1 bar dP - 11,6 m³/h
- Portata controlavaggio 1,8 bar dP - 11,1 m³/h
- Attacco Bombola: 4" 8 UN
- Attacchi Ingresso/uscita 1" 1/2
- Pressione di esercizio min 1,8 bar - max 8,5 bar
- Temperatura di Esercizio min 1°C - max 43°C
- Tensione di alimentazione: Trasformatore 230-24 VAC
- Frequenza di alimentazione 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola Addolcimento 10"-16" (1600) - 18"-30" (1700)
- Bombola Filtrazione 10"-24"



Accessori inclusi nella versione addolcimento

- Tubo Distributore Ø 50 x 1660 mm - Codice FLA21148-01
- Diffusore di Fondo Ø 50 - Codice FLA18396
- Air Check 3/8" - Codice FLA18168 (Versione 1600)
- Air Check A.C.900 - Codice FLA18979 (Versione 1700)

Accessori inclusi nella versione filtrazione

- Tubo Distributore Ø 50 x 1660 mm - Codice FLA21148-01
- Diffusore di Fondo Ø 50 - Codice FLA18396

VALVOLA 2850 CON ACCESSORI

| Codice | Descrizione | € |
|------------|--|---|
| FL28501626 | Valvola Fleck 2850/1650 SXT completa | |
| FL28501631 | Valvola 2850/1650 SXT 1" 1/2 Volume completa | |
| FL28501716 | Valvola 2850/1710 SXT completa | |
| FL28501721 | Valvola 2850/1710 SXT 1" 1/2 Volume completa | |
| FL2850SXTF | Valvola 2850 SXT Filtro completa | |

VALVOLA INDUSTRIALE 2910 TIMER SXT

Valvola elettronica interamente programmabile per il controllo del ciclo rigenerativo e della partenza della rigenerazione. La valvola è realizzata con doppio pistone in modo tale da ottimizzare la gestione del sistema da un punto di vista delle portate. La parte di comando è protetta da eventuali spruzzi di acqua da un coperchio di tenuta con guarnizione per ottenere un grado di protezione IP44.

Corpo valvola in Bronzo

Avvio rigenerazione : Manuale, Cronometrica, Volumetrica

Caratteristiche tecniche:

- Portata esercizio 1bar dP - 24 m³/h
- Portata controlavaggio 1,8 bar dP - 8 m³/h
- Attacco Bombola: 4" 8 UN
- Attacchi Ingresso/uscita 2" BSP
- Pressione di esercizio min 1,8 bar - max 8,5 bar
- Temperatura di Esercizio min 1°C - max 43°C
- Tensione di alimentazione: Trasformatore 230-24 VAC
- Frequenza di alimentazione 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola Addolcimento 14"-16" (1600) - 18"-36" (1700)

Accessori inclusi nella versione addolcimento

Tubo Distributore Ø 50 x 1660 mm - Codice FLA21148-01

Diffusore di Fondo Ø 50 - Codice FLA18396

Air Check 3/8" - Codice FLA18168 (Versione 1600)

Air Check A.C.900 - Codice FLA18979 (Versione 1700)

Accessori inclusi nella versione filtrazione

Tubo Distributore Ø 50 x 1660 mm - Codice FLA21148-01

Diffusore di Fondo Ø 50 - Codice FLA18396



VALVOLA 2910 CON ACCESSORI

| Codice | Descrizione | € |
|------------|--|---|
| FL29101616 | Valvola 2910/1600 SXT completa | |
| FL29101621 | Valvola 2910/1600 SXT 2" Volume completa | |
| FL29101716 | Valvola 2910/1710 SXT completa | |
| FL29101721 | Valvola 2910/1710 SXT 2" Volume completa | |
| FL2910SXTF | Valvola 2910 SXT Filtro completa | |

VALVOLA INDUSTRIALE 3150 TIMER NXT

Valvola per applicazioni industriali con elettronica che gestisce interamente il ciclo rigenerativo, tutti i parametri del ciclo stesso e la eventuale comunicazione in sistema fino a 4 bombole.

- Display LCD da due linee per 16 caratteri

- Collegamento fino a 4 valvole

- Configurazioni possibili: Sistema 4,5,6,7 e 9

Segnali disponibili:

- Starter remoto

- Inibizione della partenza della rigenerazione

- Relay programmabile

- Tre livelli di programmazione: Utente, Installatore, diagnostica

Caratteristiche tecniche:

- Portata esercizio 1 bar dP - 22 m³/h Versione Montaggio di Testa

- Portata esercizio 1 bar dP - 22 m³/h Versione Montaggio Laterale

- Portata controlavaggio 1,8 bar dP - 24 m³/h Versione Montaggio di Testa

- Portata controlavaggio 1,8 bar dP - 25 m³/h Versione Montaggio Laterale

- Attacco Bombola per montaggio in testa: 4" 8 UN

- Attacchi Ingresso/uscita 2" BSP

- Pressione di esercizio min 1,8 bar - max 8,5 bar

- Temperatura di Esercizio min 1°C - max 43°C

- Tensione di alimentazione: Trasformatore 230-24 VAC

- Frequenza di alimentazione 50 Hz

- Materiale corpo valvola: Bronzo

- Bombola Addolcimento 24"-42" (Montaggio TOP) - 24"-60" (Montaggio Side)

Accessori inclusi nella versione addolcimento

Air Check A.C.900 - Codice FLA18979 (Versione 1800)



VALVOLA 3150 CON ACCESSORI


| Codice | Descrizione | € |
|--------------|--|---|
| FL31501850 | Valvola 3150/1800 NXT Cronometrica montaggio di testa completa | |
| FL31501855 | Valvola 3150/1800 NXT Cronometrica montaggio laterale completa | |
| FL31501860 | Valvola 3150/1800 NXT 2" volume contatore ottone montaggio in testa completa | |
| FL31501865 | Valvola 3150/1800 NXT 2" volume contatore ottone montaggio laterale completa | |
| FL3150NXTTMF | Valvola 3150 NXT 2" Filtro montaggio di testa completa di DLFC Ottone | |
| FL3150NXTSMF | Valvola 3150 NXT 2" Filtro montaggio laterale completa di DLFC Ottone | |

VALVOLA INDUSTRIALE 3900 TIMER NXT

Valvola ideale per l'utilizzo in Campo industriale ed in applicazioni con sistemi a più colonne. La valvola è realizzata con doppio pistone in modo tale da ottimizzare la gestione del sistema da un punto di vista delle portate. La parte di comando è protetta da eventuali spruzzi di acqua da un coperchio di tenuta con guarnizione per ottenere un grado di protezione IP44.

L'elettronica avanzata gestisce interamente il ciclo rigenerativo, tutti i parametri del ciclo stesso e la eventuale comunicazione in sistema fino a 4 bombole.

- Display LCD da due linee per 16 caratteri
 - Collegamento in rete fino a 4 valvole
 - Configurazioni possibili: Sistema 4,5,6,7 e 9
- Segnali disponibili:
- Starter remoto
 - Inibizione della partenza della rigenerazione
 - Relay programmabile
 - Tre livelli di programmazione: Utente, Installatore, diagnostica



Caratteristiche tecniche:

- Portata esercizio 1bar dP - 57 m³/h
- Portata controlavaggio 1,8 bar dP - 24 m³/h
- Attacco Bombola per montaggio in testa: Flangia 6"
- Attacchi Ingresso/uscita 3" BSP
- Pressione di esercizio min 1,8 bar - max 8,5 bar
- Temperatura di Esercizio min 1°C - max 43°C
- Tensione di alimentazione: Trasformatore 230-24 VAC
- Frequenza di alimentazione 50 Hz
- Materiale corpo valvola: Bronzo
- Bombola Addolcimento 30"-60"

Accessori inclusi nella versione addolcimento

Air Check A.C.900 - Codice FLA18979 (Versione 1800)

VALVOLA 3900 CON ACCESSORI

| Codice | Descrizione | € |
|------------|--|---|
| FL39001850 | Valvola 3900/1800 NXT Cronometrica montaggio di testa completa | |
| FL39001855 | Valvola 3900/1800 NXT Cronometrica montaggio laterale completa | |
| FL39001860 | Valvola 3900/1800 NXT 3" volume contatore ottone montaggio di testa completa | |
| FL39001865 | Valvola 3900/1800 NXT 3" volume contatore ottone montaggio laterale completa | |

6.2 ACCESSORI FLECK

YOKES

| Codice | Descrizione | € |
|-------------|--|---|
| FLA13398-10 | Attacco 1" BSP femmina ottone Res - 2510 - 9000 - 9100 | |
| FLA24735 | Attacco 1" BSP femmina ottone con mixing | |
| FLA18706-10 | Attacco 1" BSP M. plastica Res - 2510 - 9000 - 9100 | |
| FLA18706-12 | Attacco 3/4" BSP M. plastica Res - 2510 - 9000 - 9100 | |
| FLA24689 | Attacco 3/4" BSP maschio ottone | |



BY-PASS

| Codice | Descrizione | € |
|-------------|---|---|
| FLABU28502 | By-pass 1" BSP in acciaio per valvola Residenziali | |
| FLA24734-10 | By-pass 1" BSP in ottone con mixing 9000 3/4" - 9100 3/4" | |
| FLABU26054 | By-pass in plastica per valvola Residenziali | |




VALVOLE SALAMOIA DI SICUREZZA

| Codice | Descrizione | € |
|-------------|---|---|
| FLA27833 | Valvola salamoia di sicurezza SBV 2300 no air-check 1600 | |
| FLA27834 | Valvola salamoia di sicurezza SBV 2300 acqua calda no A.C | |
| FLA60067-03 | Valvola salamoia di sicurezza SBV 2310 no air-check 1600 | |
| FLA25453 | Valvola salamoia di sicurezza SBV 2350 no air check 1700 | |
| FLA25364 | Dado in ottone per SBV 2350 | |
| FLA28182 | Raccordo PVC femmina 1" incolaggio maschio 1" BSP | |
| FLA25687 | Valvola salamoia BV 44 914 mm 1600 & 1650 | |
| FLA18961 | Valvola salamoia BV 44 1250 mm 1600 & 1650 | |



AIR CHECKS

| Codice | Descrizione | € |
|------------|---|---|
| FLA18168 | Air Checks 500A 915 mm (36") 1600 & 1650 | |
| FLA26773 | Air Checks 500A 1250 mm 1600 & 1650 | |
| FLA23473 | Air Checks 500 acqua calda 1600 HW | |
| FLA18979 | Air Checks 900 1,88 mt 1700 & 1800 | |
| FLABU28510 | Air Checks 900 1,10 mt 1700 & 1800 | |
| FLA18980 | Air Checks 900 acqua calda 1700 & 1800 HW | |



TUBI DISTRIBUZIONE

| Codice | Descrizione | € |
|------------|---|---|
| FLA27827 | Tubo distributore Ø 27 mm 1,10 alta portata | |
| FLA25645 | Tubo distributore Ø 27 mm 1,95 alta portata | |
| FLABU28508 | Tubo distributore Ø 27 mm 1,10 alta portata per acqua calda | |
| FLA21675 | Tubo distributore Ø 27 mm 1,95 alta portata per acqua calda | |
| FLABU28509 | Tubo distributore Ø 27 mm 1,10 alta cap. per acqua calda | |
| FLA25639 | Tubo distributore Ø 27 mm 1,95 alta cap. per acqua calda | |
| FLA27828 | 1" UF & high capacity 1m10 | |
| FLA18404 | Tubo distributore Ø 50 mm 1,82 | |
| FLABU26052 | Tubo distributore Ø50 mm 1,82 per acqua calda | |



DISTRIBUTORI INFERIORI

| Codice | Descrizione | € |
|----------|--|---|
| FLA25360 | Diffusore inferiore Ø 27 mm alta portata | |
| FLA27106 | Diffusore inferiore Ø 27 mm alta portata per acqua calda | |
| FLA25797 | Diffusore inferiore Ø 27 mm UF & alta capacità | |
| FLA27109 | Diffusore inferiore Ø 27 mm alta cap. per acqua calda | |
| FLA18396 | Diffusore inferiore Ø 50 mm | |
| FLA26050 | Diffusore inferiore Ø 50 mm per acqua calda | |
| 1002-D32 | 32 mm bottom distributor high flow | |



TUBI

| Codice | Descrizione | € |
|-------------|---------------------------|---|
| FLABU28650 | 1" - 1m06 (ACS) | |
| FLABU28648 | 1" - 1m85 (ACS) | |
| FLABU28507 | 1" - 1m06 per acqua calda | |
| FLA12165-01 | 1" - 1m78 per acqua calda | |
| FLABU28649 | 2" - 1m66 (ACS) | |
| FLA21148HW | 2" - 1m66 per acqua calda | |



CONTATORI IN LINEA PER SE, SXT, ET & NT

| Codice | Descrizione | € |
|-------------|---|---|
| FLA28461-02 | Contatore 1" BSP in plastica per 2750 | |
| FLA28461-04 | Contatore 1" 1/4 BSP in plastica per 2750, 2850, 2910 | |
| FLA28461-14 | Contatore 1" 1/2 BSP in plastica per 2850, 9500 | |



CONTATORI

| Codice | Descrizione | € |
|----------|---|---|
| FLA28283 | Kit contatore completo 1" NXT in ottone | |
| FLA28284 | Kit contatore completo 1" 1/2 NXT in ottone | |
| FLA28285 | Kit contatore completo 2" NXT in ottone | |
| FLA28295 | Kit contatore completo 2" NXT Plastica | |
| FLA28286 | Kit contatore completo 3" NXT in ottone | |

VARI

| Codice | Descrizione | € |
|---------------|--|---|
| FLA18122 | Kit tubi flessibili 2nd tank 200 mm per valvola 9000 | |
| FLA18123 | Kit tubi flessibili 2nd tank 350 mm per valvola 9000 | |
| FLA18124 | Kit tubi flessibili 2nd tank 500 mm per valvola 9000 | |
| FLA28137-16 | Kit tubi rame 2nd tank adapter 16" per valvola 9500 | |
| FLA28137-20 | Kit tubi rame 2nd tank adapter 20" per valvola 9500 | |
| FLA28137-24 | Kit tubi rame 2nd tank adapter 24" per valvola 9500 | |
| FLA61415-20 | Adattatore montaggio laterale 2850 - 2910 | |
| FLABU61564-10 | Mixing Assy 1" Industrial all industrial valves | |



6.3 RICAMBI FLECK RICAMBI 4600

| Codice | Descrizione | € |
|----------------|---|---|
| S/APH56SXT-003 | PH 4600/5600 SXT Eco | |
| S/APH56SXT-004 | PH 4600/5600 SXT Eco UF | |
| S/APH560MC-001 | PH 4600/5600 Mechanical 12 days | |
| S/APH560MR-002 | PH 4600/5600 Mechanical 8 m ³ | |
| S/APH560MR-003 | PH 4600/5600 Mechanical 40 m ³ | |
| S/A29116 | End plug retainer kit 4600 | |
| S/A24116-US | Piston assy 4600/5600 | |
| S/A24117-EU | Piston assy 4600/5600 LWU | |
| S/A27077-US | Piston assy 4600SXT/5600SXT/6600/6700 DF | |
| S/A18928 | Piston assy 4600/5600 Filter | |
| S/A27077-01-US | Piston assy 4600 SXT HW | |
| S/A24944 | S&S Kit 4600/9000 HW Upper | |
| S/A24115 | S&S Kit Residential | |
| S/A24509-01 | Mixing assy residential | |
| S/A24509-02 | Mixing assy 4600 Hot Water | |
| S/A29117 | Kit O-rings tank adapter 4600 (10 pc) | |
| S/A11965SP | Retainer tank seal 4600 (10 pc) | |
| S/A29102 | Meter cover assy 8 m ³ with impeller | |
| S/A24107 | Meter assy 3/4" 8 m ³ plastic | |
| S/A29103 | Meter assy 3/4" 40 m ³ with meter cable | |
| S/A29105 | Impeller & oring kit for meter assy 3/4" | |
| S/A29086 | Kit mounting/adaptor clips & screws residential | |
| S/A29121 | Injector assy 4600 #0/1.2/0.25 (w/washer 0.8 GPM-BLFC 0.125) | |
| S/A29122 | Injector assy 4600 #1/1.5/0.25 (w/ washer 2 & 2.4) | |
| S/A29123 | Injector assy 4600 #2/3.5/0.50 (w/ washer 4) | |
| S/A29124 | Injector assy 4600 HW #0/1.2/0.25 (w/washer 0.8 GPM-BLFC 0.125) | |
| S/A29125 | Injector assy 4600 HW #1/1.5/0.25 (w/ washer 2 & 2.4) | |
| S/A29126 | Injector assy 4600 HW #2/3.5/0.50 (w/ washer 4) | |
| S/A24114 | BV assy 1600 Residential | |
| S/A22359SP | Hose Barb Straight Hot Water (10 pc) | |
| S/A29115 | Injector service kit residential/9000/9100 | |
| S/A29118 | Meter cover assy brass with impeller | |
| S/A26006-10 | Eco bypass assy 8 m ³ & red handle HW | |
| S/A29120 | Meter cover assy brass extended with impeller | |
| S/A26007-10 | Eco bypass assy 8 m ³ & red handle | |
| S/A13709 | Coupling assy residential | |
| S/A29127 | 4600 Mechanical LWU HW service kit | |
| S/A29128 | 4600 Mechanical HW service kit | |
| S/A29129 | 4600 SXT HW service kit | |
| S/A12794-01SP | Elbow 3/8"x 3/8" (10 pc) | |
| S/A19699SP | Hose Barb 45° (10 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A18280SP | Top distributor 1" grey (10 pc) | |
| S/A18280-01SP | Top distributor 1" wide slots natural (10 pc) | |
| S/A18280-10SP | Top distributor 1" HW black (10 pc) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|---|---|
| S/A18089-EU | Piston assy 4600/5600 LWU FR | |
| S/A18280-02SP | Top distributor 1" narrow slots red (10 pc) | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|---------------|---|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |
| S/A17307SP | Flow washer BLFC 0.125 GPM (10pc) | |
| S/A12094SP | Flow washer BLFC 0.25 GPM (10pc) | |
| S/A12095SP | Flow washer BLFC 0.50 GPM (10pc) | |
| S/A12097SP | Flow washer BLFC 1 GPM dia 7.5 mm (10 pc) | |
| S/A28398 | Flow control retainer assy 0.9 GPM | |
| S/A19151SP | Washer 1.0 GPM dia 17.5 mm (10 pc) | |
| S/A29069 | Conv. Kit 5600 mech from 8m3 to 40m3 | |
| S/A18332-0.12 | BLFC 0,12 assy 1600 | |
| S/A18332-0.25 | BLFC 0,25 assy 1600 | |
| S/A18332-0.50 | BLFC 0,50 assy 1600 | |
| S/A18332-1 | BLFC 1 assy 1600 | |
| S/A29139 | Injector nozzle & throat #000 Brown (10 pc) | |
| S/A29140 | Injector nozzle & throat #00 Violet (10 pc) | |
| S/A29142 | Injector nozzle & throat #0 red (10 pc) | |

| Codice | Descrizione | € |
|----------|---|---|
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29146 | Injector nozzle & throat steel HW #0 (5 pc) | |
| S/A29147 | Injector nozzle & throat steel HW #1 (5 pc) | |
| S/A29148 | Injector nozzle & throat steel HW #2 (5 pc) | |
| S/A29149 | Injector nozzle & throat steel HW #3 (5 pc) | |
| S/A29150 | Injector nozzle & throat steel HW #4 (5 pc) | |
| S/A29151 | Kit injector for filter customization | |
| S/A26021 | Mixing plug assy brass for filter customization | |

RICAMBI 5600

| Codice | Descrizione | € |
|----------------|--|---|
| S/APH56SXT-003 | PH 4600/5600 SXT Eco | |
| S/APH56SXT-004 | PH 4600/5600 SXT Eco UF | |
| S/APH560MC-001 | PH 4600/5600 Mechanical 12 days | |
| S/APH560MR-002 | PH 4600/5600 Mechanical 8 m ³ | |
| S/APH560MR-003 | PH 4600/5600 Mechanical 40 m ³ | |
| S/A29100 | End plug retainer kit 5600 | |
| S/A24116-US | Piston assy 4600/5600 | |
| S/A24117-EU | Piston assy 4600/5600 LWU | |
| S/A27077-US | Piston assy 4600SXT/5600SXT/6600/6700 DF | |
| S/A18928 | Piston assy 4600/5600 Filter | |
| S/A24115 | S&S Kit residential | |
| S/A24509-01 | Mixing assy residential | |
| S/A29101 | Kit O-rings tank adapter 5600 (10 pc) | |
| S/A29102 | Meter cover assy 8 m ³ with impeller | |
| S/A24107 | Meter assy 3/4" 8 m ³ plastic | |
| S/A29103 | Meter assy 3/4" 40 m ³ with meter cable | |
| S/A60626-01 | Meter assy 3/4" turbine SXT | |
| S/A13709 | Coupling Assy residential/9000/9100 | |
| S/A29086 | Kit mounting/adaptor clips & screws residential | |
| S/A29105 | Impeller & oring kit for meter assy 3/4" | |
| S/A29109 | Injector assy 5600 #000/0.8/0.125 (#00/1.2 -BLFC 0.25) | |
| S/A29110 | Injector assy 5600 #0/1.2/0.25 (w/washer 0.8-1.5 GPM-BLFC 0.125) | |
| S/A29111 | Injector assy 5600 #1/1.5/0.25 (w/ washer 2 & 2.4) | |
| S/A29112 | Injector assy 5600 #2/3.5/0.50 (w/ washer 4) | |
| S/A29113 | Injector assy 5600 #3/4/1 (w/ washer 5&7) | |
| S/A29114 | Injector assy 5600 UF #00/1.2/0.25 (w/ add. sizes) | |
| S/A24114 | BV assy 1600 Residential | |
| S/A22359SP | Hose Barb Straight Hot Water (10 pc) | |
| S/A29115 | Injector service kit residential/9000/9100 | |
| S/A29106 | 4600/5600 Mechanical LWU service kit | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A29107 | 4600/5600 Mechanical service kit | |
| S/A29108 | 4600/5600 SXT service kit | |
| S/A12794-01SP | Elbow 3/8"x 3/8" (10 pc) | |
| S/A19699SP | Hose Barb 45° (10 pc) | |
| S/A18280SP | Top distributor 1" grey (10 pc) | |
| S/A18280-01SP | Top distributor 1" wide slots natural (10 pc) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|---|---|
| S/A18089-EU | Piston assy 4600/5600 LWU FR | |
| S/A25593 | Piston assy 5600SXT/6600/6700 UF | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |
| S/A18280-02SP | Top distributor 1" narrow slots red (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|---------------|---|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |
| S/A17307SP | Flow washer BLFC 0.125 GPM (10pc) | |
| S/A12094SP | Flow washer BLFC 0.25 GPM (10pc) | |
| S/A12095SP | Flow washer BLFC 0.50 GPM (10pc) | |
| S/A12097SP | Flow washer BLFC 1 GPM dia 7.5 mm (10 pc) | |
| S/A28398 | Flow control retainer assy 0.9 GPM | |
| S/A19151SP | Washer 1.0 GPM dia 17.5 mm (10 pc) | |
| S/A29069 | Conv. Kit 5600 mech from 8m3 to 40m3 | |
| S/A18332-0.12 | BLFC 0,12 assy 1600 | |
| S/A18332-0.25 | BLFC 0,25 assy 1600 | |
| S/A18332-0.50 | BLFC 0,50 assy 1600 | |

| Codice | Descrizione | € |
|------------|---|---|
| S/A18332-1 | BLFC 1 assy 1600 | |
| S/A29139 | Injector nozzle & throat #000 Brown (10 pc) | |
| S/A29140 | Injector nozzle & throat #00 Violet (10 pc) | |
| S/A29142 | Injector nozzle & throat #0 red (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29151 | Kit injector for filter customization | |

POWER HEAD 4600/5600 MECHANICAL/SXT

| Codice | Descrizione | € |
|---------------|---|---|
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/ABU28723 | Front panel & label SXT | |
| S/ABR43346-E0 | Circuit board SXT programmed eco | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/A29132 | Repair kit for residential SXT power head | |
| S/A29134 | Repair kit for residential power head 8 & 40 m3 | |
| S/A29136 | Repair kit for residential power head 12 days | |
| S/A29137 | Repair kit for residential power head 7 days | |
| S/A25329 | Drive Motor assy 24V/50-60Hz | |
| S/A26775 | Timer Motor Assy 230V/50Hz 1/30 RPM | |
| S/A26877 | Timer Motor Assy 24V/60Hz 1/30 RPM | |
| S/A26778 | Timer motor assy 24V/50Hz 1/30 RPM | |
| S/A13296SP | Screw (50 pc) | |
| S/A29131 | Kit back cover black 4600/5600/6600 | |
| S/A24377SP | Red Light 4600/5600 230V (10 pc) | |
| S/A24378SP | Green Light 4600/5600 230V (10 pc) | |
| S/A29130 | Kit Aux microswitch, brine cam, salt labels | |
| S/ABU28670 | Kit microswitch electronic residential | |
| S/A10218SP | Microswitch (5 pc) | |
| S/A24544 | Kit meter cable assy 4600/5600 8 m³ delayed | |
| S/A24546 | Kit Meter Cable Assy 4600/5600 40 m³ Delayed | |
| S/A28452 | Kit meter cable 4600 EcoBypass | |
| S/ABU28597 | Kit transfo 10 VA 400 mA resid | |
| S/ABU28597-20 | Kit transfo 10 VA 400 mA resid UK plug | |
| S/A11545 | Power Cord European Black | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|------------|---|---|
| S/A17885SP | Drive Cam UF Red (10 pc) | |
| S/A29138 | Repair kit for residential power head Fast Regeneration | |
| S/A26776 | Timer motor assy 230V/50Hz 1/15 RPM | |
| S/A26779 | Timer motor assy 24V/50Hz 1/15 RPM | |
| S/A24545 | Kit Meter cable assy 4600/5600 8 & 40 m³ immediate | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A26723SP | Red Light 4600/5600 24V (10 pc) | |
| S/A26722SP | Green Light 4600/5600 24V (10 pc) | |
| S/A18340 | Power cord UK | |
| S/A18944 | Pgm wheel assy 8 m ³ 5600 Immediata | |
| S/A42933-10SP | Main Drive Gear UF 5600SE/6600/6700 (10 pc) | |
| S/A26113 | Microswitch 4600/5600 Immediata | |
| S/A18090 | 24H Hours Gear (2x12) assy Fast Regen | |

RICAMBI 5800

| Codice | Descrizione | € |
|--------------|--|---|
| S/A18261SP | Screw (10 pc) | |
| S/ABR61837 | Piston assy 5800 DF | |
| S/ABR61838 | Piston assy 5800 UF | |
| S/A61888 | Cartridge Seals/Spacers 5800 | |
| S/A29152 | Kit O-rings tank adapter 5800/5000/9100/2510 (10 pc) | |
| S/A18569SP | Retainer tank seal 5800 (5 pc) | |
| S/A21511SP | Hose Barb 90° ½" x ½", black grey (10 pc) | |
| S/A24078-1.2 | DLFC & Hose Barb (Bent) 2510/5800 1.2 GPM | |
| S/A24078-1.5 | DLFC & Hose Barb (Bent) 2510/5800 1.5 GPM | |
| S/A24078-2 | DLFC & Hose Barb (Bent) 2510/5800 2 GPM | |
| S/A24078-2.4 | DLFC & Hose Barb (Bent) 2510/5800 2.4 GPM | |
| S/A24078-3 | DLFC & Hose Barb (Bent) 2510/5800 3 GPM | |
| S/A24078-3.5 | DLFC & Hose Barb (Bent) 2510/5800 3.5 GPM | |
| S/A24078-4 | DLFC & Hose Barb (Bent) 2510/5800 4 GPM | |
| S/A24078-5 | DLFC & Hose Barb (Bent) 2510/5800 5 GPM | |
| S/A24078-6 | DLFC & Hose Barb (Bent) 2510/5800 6 GPM | |
| S/A24078-7 | DLFC & Hose Barb (Bent) 2510/5800 7 GPM | |
| S/A26147-10 | DLFC 1" assy 2510/5000/5800 10 GPM | |
| S/A26147-12 | DLFC 1" assy 2510/5000/5800 12 GPM | |
| S/A26147-15 | DLFC 1" assy 2510/5000/5800 15 GPM | |
| S/A24509-01 | Mixing assy residential | |
| S/A24114 | BV assy 1600 Residential | |
| S/A18312SP | Retainer Drain (10 pc) | |
| S/A13709 | Coupling Assy residential/9000/9100 | |
| S/A60626-01 | Meter assy ¾" turbine SXT | |
| S/A29086 | Kit mounting/adapter clips & screws residential | |
| S/A29158 | Injector service kit 5000/5800 | |
| S/A29153 | Injector kit 5800 DF #000 to 3 | |
| S/A29154 | Injector kit 5800 UF #000 to 3 | |
| S/A29156 | 5800 DF service kit | |
| S/A29157 | 5800 UF service kit | |
| S/A18280SP | Top distributor 1" grey (10 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A18280-01SP | Top distributor 1" wide slots natural (10 pc) | |
| S/A12794-01SP | Elbow ¾"x ¾" (10 pc) | |
| S/A19699SP | Hose Barb 45° (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|----------------|---------------------------------|---|
| S/A18272-000SP | Injector 5000/5800 #000 (10 pc) | |
| S/A18272-00SP | Injector 5000/5800 #00 (10 pc) | |
| S/A18272-0SP | Injector 5000/5800 #0 (10 pc) | |
| S/A18272-1SP | Injector 5000/5800 #1 (10 pc) | |
| S/A18272-2SP | Injector 5000/5800 #2 (10 pc) | |
| S/A18272-3SP | Injector 5000/5800 #3 (10 pc) | |

POWER HEAD 5800/5810/5812

| Codice | Descrizione | € |
|---------------|---|---|
| S/ABR61832-00 | Cover assy 5800/5810/5812 black/blue | |
| S/ABR61832-01 | Cover assy 5800/5810/5812 black/black | |
| S/A61832-02 | Cover assy 5800/5810/5812 black/silver | |
| S/A43262-00SP | Bezel 5800 Blue (10 pc) | |
| S/A43262-01SP | Bezel 5800 Black (10 pc) | |
| S/A43262-02SP | Bezel 5800 Silver (10 pc) | |
| S/A62076 | Timer assy 5800 Typhoon SXT | |
| S/ABR61833-01 | Timer assy 5800 Storm LXT TC | |
| S/ABR61833-02 | Timer assy 5800 Storm LXT eco | |
| S/ABR61833-03 | Timer assy 5800 Storm LXT TC UF | |
| S/ABR61833-04 | Timer assy 5800 Storm LXT eco UF | |
| S/ABR61833-05 | Timer assy 5800 Storm LXT filter UF | |
| S/A61931-03 | Timer assy 5800 Hurricane XTR w/ Pentair Logo | |
| S/A61957 | Panel gear Service kit 5800/5810/5812 | |
| S/ABR61835 | Motor assy 5800 | |
| S/ABR61995 | Optical sensor kit | |
| S/A44187SP | Wire harness power 5800 (10 pc) | |
| S/ABR44162 | Transformer intl 230VAC-12VDC 5800 | |

RICAMBI 9000

| Codice | Descrizione | € |
|----------------|-----------------------------------|---|
| S/APH900SI-001 | PH 9000/9100 SXT | |
| S/APH900MI-001 | PH 9000/9100 Mechanical ¾" 8 m3 | |
| S/APH900MI-002 | PH 9000/9100 Mechanical ¾" 40 m3 | |
| S/APH900MI-003 | PH 9000/9100 Mechanical 1" 20 m3 | |
| S/APH900MI-004 | PH 9000/9100 Mechanical 1" 100 m3 | |
| S/A24234-US | Piston assy 9000/9100 upper DF | |
| S/A24235-US | Piston assy 9000/9100 lower DF | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A24115 | S&S kit residential | |
| S/A24944 | S&S kit 4600/9000 HW upper | |
| S/ABU28664 | S&S kit 9000/9100 lower | |
| S/A26013 | S&S kit 9000 HW upper & lower | |
| S/A25642 | S&S kit 9000/9100 upper & lower | |
| S/ABU61929 | End Cap 9000/9100 Assy | |
| S/A29163 | Kit O-ring tank adapter 9000 (10 pc) | |
| S/A24238 | Second Tank Adapt Assy 9000 | |
| S/A29104 | Kit mounting/adpater clips & screws 9000/9100 | |
| S/A24526 | Brine Valve 1600 assy 9000/9100 | |
| S/A21511SP | Hose Barb 90° ½" x ½", black grey (10 pc) | |
| S/A29115 | Injector service kit residential/9000/9100 | |
| S/A29171 | Injector assy 9000 #1/2.4/0.50 (w/washer 1.5 - BLFC 0.25) | |
| S/A29172 | Injector assy 9000 #2/3.5/1 (w/washer 2.4 & 4.0 - BLFC 0.50) | |
| S/A29173 | Injector assy 9000 #3/5/1.0 (w/washer 7.0) | |
| S/A24107 | Meter assy ¾" 8 m³ plastic | |
| S/A29102 | Meter cover assy 8 m³ with impeller | |
| S/A24106 | Meter assy ¾" 40 m³ plastic 9000/9100 | |
| S/A29164 | Meter cover assy 40 m³ with impeller 9000/9100 | |
| S/A26702 | Meter assy ¾" Electronic | |
| S/A29166 | Meter cover assy electronic ¾" with impeller | |
| S/A29105 | Impeller & oring kit for meter assy ¾" | |
| S/A29118 | Meter cover assy brass with impeller | |
| S/A24229 | Meter assy 1" 20 m³ | |
| S/A29120 | Meter cover assy brass extended with impeller | |
| S/A24228 | Meter assy 1" 100 m³ | |
| S/A29167 | Meter cover assy electronic 1" with impeller | |
| S/A27130 | Meter assy 1" Electronic 9000/9100 | |
| S/A28533SP | Screw (10 pc) | |
| S/A14960 | Flow straightener 1" | |
| S/A15078-01 | Coupling assy 9000 | |
| S/A13398-10 | Yoke brass 1" BSP - See accessories section | |
| S/A1812x | Kit flexible 2nd tank adapter - See accessories section | |
| S/A11206SP | Gasket Fitting (10 pc) | |
| S/A12338SP | Drain elbow hostaform 90° ½" HW white (10 pc) | |
| S/A12794-01SP | Elbow ¾"x ¾" (10 pc) | |
| S/A18280SP | Top distributor 1" grey (10 pc) | |
| S/A18280-10SP | Top distributor 1" HW black (10 pc) | |
| S/AKIT 51 | Kit Accessories 1600 with BV44/AC500 | |
| S/AKIT 160 | Kit Meter Test All valve (except 3900) | |
| S/ABU28319 | Kit 9000 | |
| S/A29072 | UPK9000/9100Mech.PHw/oTimer,USpiston,S&S | |
| S/A29073 | UPK 9000/9100 SXT PH,USpiston,S&S | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|--|---|
| S/A27188-US | Piston assy 9000 upper DF HW | |
| S/A27187-US | Piston assy 9000 lower DF HW | |
| S/A28173 | Piston assy 9000/9100 lower UF | |
| S/A29168 | Injector assy 9000 UF #1/2/0.50 (w/washer 2.4 & 1.5 - BLFC 0.25) | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |
| S/A18280-02SP | Top distributor 1" narrow slots red (10 pc) | |
| S/AKIT 16 | Top Distributor 1" 9000 HW | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|---------------|---|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |
| S/A17307SP | Flow washer BLFC 0.125 GPM (10pc) | |
| S/A12094SP | Flow washer BLFC 0.25 GPM (10pc) | |
| S/A12095SP | Flow washer BLFC 0.50 GPM (10pc) | |
| S/A12097SP | Flow washer BLFC 1 GPM dia 7.5 mm (10 pc) | |
| S/A28398 | Flow control retainer assy 0.9 GPM | |
| S/A19151SP | Flow washer 1 GPM (10 pc) | |
| S/A18332-0.12 | BLFC assy 1600 0.125 GPM | |
| S/A18332-0.25 | BLFC assy 1600 0.25 GPM | |
| S/A18332-0.50 | BLFC assy 1600 0.50 GPM | |
| S/A18332-1 | BLFC assy 1600 1 GPM | |
| S/A29139 | Injector nozzle & throat #000 Brown (10 pc) | |
| S/A29140 | Injector nozzle & throat #00 Violet (10 pc) | |
| S/A29142 | Injector nozzle & throat #0 Red (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |

| Codice | Descrizione | € |
|----------|---|---|
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29146 | Injector nozzle & throat steel HW #0 (5 pc) | |
| S/A29147 | Injector nozzle & throat steel HW #1 (5 pc) | |
| S/A29148 | Injector nozzle & throat steel HW #2 (5 pc) | |
| S/A29149 | Injector nozzle & throat steel HW #3 (5 pc) | |
| S/A29150 | Injector nozzle & throat steel HW #4 (5 pc) | |

RICAMBI 9100

| Codice | Descrizione | € |
|----------------|---|---|
| S/APH900SI-001 | PH 9000/9100 SXT | |
| S/APH900MI-001 | PH 9000/9100 Mechanical 3/4" 8 m ³ | |
| S/APH900MI-002 | PH 9000/9100 Mechanical 3/4" 40 m ³ | |
| S/APH900MI-003 | PH 9000/9100 Mechanical 1" 20 m ³ | |
| S/APH900MI-004 | PH 9000/9100 Mechanical 1" 100 m ³ | |
| S/A24234-US | Piston assy 9000/9100 upper DF | |
| S/A24235-US | Piston assy 9000/9100 lower DF | |
| S/A24115 | S&S kit residential | |
| S/ABU28664 | S&S kit 9000/9100 lower | |
| S/A25642 | S&S kit 9000/9100 upper & lower | |
| S/ABU61929 | End Cap 9000/9100 Assy | |
| S/A29152 | Kit O-rings tank adapter 5800/5000/9100/2510 (10 pc) | |
| S/A28242 | Second Tank Adapt Assy 9100 | |
| S/A29104 | Kit mounting/adpater clips & screws 9000/9100 | |
| S/A24526 | Brine Valve 1600 assy 9000/9100 | |
| S/A21511SP | Hose Barb 90° 1/2" x 1/2", black grey (10 pc) | |
| S/A29115 | Injector service kit residential/9000/9100 | |
| S/A29176 | Injector assy 9100 #0/1.2/0.25 (BLFC 0.125) | |
| S/A29177 | Injector assy 9100 #1/2/0.50 (w/washer 1.5 & 2.4 - BLFC 0.25) | |
| S/A29178 | Injector assy 9100 #2/4.0/1.0 (w/washer 3.5) | |
| S/A29179 | Injector assy 9100 #3/5.0/1.0 (w/washer 7.0) | |
| S/A24107 | Meter assy 3/4" 8 m ³ plastic | |
| S/A29102 | Meter cover assy 8 m ³ with impeller | |
| S/A24106 | Meter assy 3/4" 40 m ³ plastic 9000/9100 | |
| S/A29164 | Meter cover assy 40 m ³ with impeller 9000/9100 | |
| S/A26702 | Meter assy 3/4" Electronic | |
| S/A29166 | Meter cover assy electronic 3/4" with impeller | |
| S/A29105 | Impeller & oring kit for meter assy 3/4" | |
| S/A29118 | Meter cover assy brass with impeller | |
| S/A24229 | Meter assy 1" 20 m ³ | |
| S/A29120 | Meter cover assy brass extended with impeller | |
| S/A24228 | Meter assy 1" 100 m ³ | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A29167 | Meter cover assy electronic 1" with impeller | |
| S/A27130 | Meter assy 1" Electronic 9000/9100 | |
| S/A28533SP | Screw (10 pc) | |
| S/A14960 | Flow straightener 1" | |
| S/A15078-01 | Coupling assy 9000 | |
| S/A13398-10 | Yoke brass 1" BSP - See accessories section | |
| S/A28243-xx | Tube Connector 9100 assy - See accessories section | |
| S/A40678SP | Ring 9100 Yoke Retainer (12 pc) | |
| S/A13287-01SP | O-ring 560 CD QC (10 pc) | |
| S/A24509-01 | Mixing assy residential | |
| S/A18280SP | Top distributor 1" grey (10 pc) | |
| S/A29072 | UPK9000/9100Mech.PHw/oTimer,USpiston,S&S | |
| S/A29073 | UPK 9000/9100 SXT PH,USpiston,S&S | |
| S/A12794-01SP | Elbow 3/8"x 3/8" (10 pc) | |
| S/ABU28321 | Kit 9100 | |
| S/A61419SP | Kit 1.05" Distributor Adapter (10 pc) | |
| S/AKIT 160 | Kit Meter Test All valve (except 3900) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|------------|--|---|
| S/A28173 | Piston assy 9000/9100 lower UF | |
| S/A29170 | Injector assy 9100 UF #1/2/0.50 (w/washer 2.4 & 1.5 - BLFC 0.25) | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|-----------------------------|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A17307SP | Flow washer BLFC 0.125 GPM (10pc) | |
| S/A12094SP | Flow washer BLFC 0.25 GPM (10pc) | |
| S/A12095SP | Flow washer BLFC 0.50 GPM (10pc) | |
| S/A12097SP | Flow washer BLFC 1 GPM dia 7.5 mm (10 pc) | |
| S/A28398 | Flow control retainer assy 0.9 GPM | |
| S/A19151SP | Flow washer 1 GPM (10 pc) | |
| S/A18332-0.12 | BLFC 0.125 assy 1600 | |
| S/A18332-0.25 | BLFC 0.25 assy 1600 | |
| S/A18332-0.50 | BLFC 0.50 assy 1600 | |
| S/A18332-1 | BLFC 1 assy 1600 | |
| S/A29139 | Injector nozzle & throat #000 Brown (10 pc) | |
| S/A29140 | Injector nozzle & throat #00 Violet (10 pc) | |
| S/A29142 | Injector nozzle & throat #0 Red (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |

RICAMBI 9500

| Codice | Descrizione | € |
|-----------------|--|---|
| S/APH950ET-001 | PH 9500 ET | |
| S/APH950SI-001 | PH 9500 SXT | |
| S/APH950MI-003 | PH 9500 Mechanical 1 1/2" 40 m3 | |
| S/APH950MI-004 | PH 9500 Mechanical 1 1/2" 200 m3 | |
| S/A18052-US | Piston assy 9500 upper | |
| S/A18053-US | Piston assy 9500 lower | |
| S/ABU28685 | S&S Kit Plastic 9500 upper | |
| S/ABU28686 | S&S Kit Plastic 9500 lower | |
| S/ABU61929-01 | End Cap 9500 ASSY | |
| S/A29180 | Kit O-rings tank adapter 9500/2850 (10 pc) | |
| S/A18050 | Second Tank Adapt Assy 9500 | |
| S/A28137-xx | Kit copper tubes 2nd tank adapter - xx - See accessories section | |
| S/A29224 | Flange connecting tube and screws THM 6x12 9500 (4 pc) | |
| S/A29223 | Spacer assy connecting tube 9500 (4 pc) | |
| S/A29222 | Kit O-rings for spacer assy connecting tube 9500 (4 pc) | |
| S/ABU28784-0.25 | BV 1600 0.25 GPM & tube 9500 HW | |
| S/ABU28784-0.50 | BV 1600 0.50 GPM & tube 9500 HW | |
| S/ABU28784-1 | BV 1600 1 GPM & tube 9500 HW | |
| S/ABU28798-0.25 | BV 1650 0.25 GPM & tube 9500 | |
| S/ABU28798-0.50 | BV 1650 0.50 GPM & tube 9500 | |
| S/ABU28798-1 | BV 1650 1 GPM & tube 9500 | |
| S/ABU28618-1.2 | BV 1700 1.2 GPM & tube 9500 HW | |
| S/ABU28618-2 | BV 1700 2 GPM & tube 9500 HW | |
| S/ABU28618-4 | BV 1700 4 GPM & tube 9500 HW | |

| Codice | Descrizione | € |
|----------------|---|---|
| S/ABU28618-7 | BV 1700 7 GPM & tube 9500 HW | |
| S/ABU28612-1.2 | BV 1710 1.2 GPM & tube 9500 | |
| S/ABU28612-2 | BV 1710 2 GPM & tube 9500 | |
| S/ABU28612-4 | BV 1710 4 GPM & tube 9500 | |
| S/ABU28612-7 | BV 1710 7 GPM & tube 9500 | |
| S/A29220 | Kit elbow 90° 1/4" x 3/8" Brass (10 pc) | |
| S/A29221 | Kit elbow fitting male 1/2 tube x 3/8NPT (10 pc) | |
| S/A29181 | Injector assy 1650 #3 (#2 #1) 9500/2510/2750/2850/2910 | |
| S/A29182 | Injector assy 1700/1710 #4C (#3C #5C) 9500/2750/2850/2910 | |
| S/A29248 | Injector assy 1600 HW #2 (#0 #1 #3) 9500 | |
| S/A29183 | Injector service kit 1650 9500/2510/2750/2850/2910 DF | |
| S/A29184 | Injector service kit 1710 9500/2750/2850/2910 DF | |
| S/A29091 | Meter Assy SS 1.5" BSP Mech. 40m3/Electr. | |
| S/A29186 | kit Impeller SS 1,5in 9500/2850, 5pcs | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A44580 | Flow Straightener 1" 1/2 | |
| S/A29092 | Meter Assy SS 1.5" BSP Mech. 200m3 | |
| S/A61936-01 | Meter Cover extd 1 to 3" for SS Meters | |
| S/A29070 | UPK 9500 Mech.PH w/o Timer,USpiston,S&S | |
| S/A29071 | UPK 9500 SXT PH,USpiston,S&S | |
| S/A12794-01SP | Elbow 3/8"x 3/8" (10 pc) | |
| S/AKIT 15 | Top Distributor 2" & pin assy 9500 HW | |
| S/AKIT 17 | Kit top distrib 2" & pin assy 9500 kit 8x2 | |
| S/AKIT 51 | Kit Accessories 1600 with BV44/AC500 | |
| S/AKIT 57 | Kit Accessories 1700/1710 with CAC 900 | |
| S/AKIT 160 | Kit Meter Test All valve (except 3900) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|----------------|----------------------------------|---|
| S/A29075 | S&S Kit 9500 HW upper | |
| S/A29076 | S&S Kit 9500 HW lower | |
| S/A18052-01-US | Piston assy 9500 Upper Hot Water | |
| S/A18053-01-US | Piston assy 9500 Lower Hot Water | |
| S/A12733SP | O-ring 560 CD (50 pc) | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|-----------------------------|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |
| S/A12094SP | Flow washer BLFC 0.25 GPM (10pc) | |
| S/A12095SP | Flow washer BLFC 0.50 GPM (10pc) | |
| S/A12097SP | Flow washer BLFC 1 GPM dia 7.5 mm (10 pc) | |
| S/A28398 | Flow control retainer assy 0.9 GPM | |
| S/A19151SP | Flow washer 1 GPM (10 pc) | |
| S/A29139 | Injector nozzle & throat #000 Brown (10 pc) | |
| S/A29140 | Injector nozzle & throat #00 Violet (10 pc) | |
| S/A29142 | Injector nozzle & throat #0 Red (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29146 | Injector nozzle & throat steel HW #0 (5 pc) | |
| S/A29147 | Injector nozzle & throat steel HW #1 (5 pc) | |
| S/A29148 | Injector nozzle & throat steel HW #2 (5 pc) | |
| S/A29149 | Injector nozzle & throat steel HW #3 (5 pc) | |
| S/A29150 | Injector nozzle & throat steel HW #4 (5 pc) | |
| S/A29225 | Injector nozzle & throat 1700/1710 #3C Yellow (10 pc) | |
| S/A29226 | Injector nozzle & throat 1700/1710 #4C Green (10 pc) | |
| S/A29227 | Injector nozzle & throat 1700/1710 #5C White (10 pc) | |
| S/A29228 | Injector nozzle & throat 1700/1710 #6C Red (10 pc) | |
| S/A29229 | Injector nozzle & throat 1700/1710 #7C Black (10 pc) | |
| S/A25500-0.25 | BLFC assy 0.25 GPM 1600 Industrial | |
| S/A25500-0.50 | BLFC assy 0.50 GPM 1600 Industrial | |
| S/A25500-1 | BLFC assy 1 GPM 1600 Industrial | |
| S/A25171-1.2 | DLFC 1" NPT - 3/4 " BSP assy 1.2 GPM 2850/2910/9500 | |
| S/A25171-1.5 | DLFC 1" NPT - 3/4 " BSP assy 1.5 GPM 2850/2910/9500 | |
| S/A25171-2 | DLFC 1" NPT - 3/4 " BSP assy 2 GPM 2850/2910/9500 | |
| S/A25171-2.4 | DLFC 1" NPT - 3/4 " BSP assy 2.4 GPM 2850/2910/9500 | |
| S/A25171-3 | DLFC 1" NPT - 3/4 " BSP assy 3 GPM 2850/2910/9500 | |
| S/A25171-4 | DLFC 1" NPT - 3/4 " BSP assy 4 GPM 2850/2910/9500 | |
| S/A25171-5 | DLFC 1" NPT - 3/4 " BSP assy 5 GPM 2850/2910/9500 | |

| Codice | Descrizione | € |
|-------------|--|---|
| S/A25171-7 | DLFC 1" NPT - 3/4 " BSP assy 7 GPM 2850/2910/9500 | |
| S/A25581-8 | DLFC 1" NPT - 3/4 " BSP assy 8 GPM 2850/2910/9500 | |
| S/A25581-9 | DLFC 1" NPT - 3/4 " BSP assy 9 GPM 2850/2910/9500 | |
| S/A25581-10 | DLFC 1" NPT - 3/4 " BSP assy 10 GPM 2850/2910/9500 | |
| S/A25581-12 | DLFC 1" NPT - 3/4 " BSP assy 12 GPM 2850/2910/9500 | |
| S/A25581-15 | DLFC 1" NPT - 3/4 " BSP assy 15 GPM 2850/2910/9500 | |
| S/A25581-20 | DLFC 1" NPT - 3/4 " BSP assy 20 GPM 2850/2910/9500 | |
| S/A25581-25 | DLFC 1" NPT - 3/4 " BSP assy 25 GPM 2850/2910/9500 | |

POWER HEAD 9000/9100/9500

| Codice | Descrizione | € |
|---------------|---|---|
| S/ABU26473 | Cover Assy Black Left Window 9500/9000 Electronic | |
| P/N19291-020 | Cover 9000/9100/9500 Black | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/A19121-01SP | Electronic Meter Cable 0.47m (5 pc) | |
| S/A19121-02SP | Meter cable ET 0.5 m (5 pc) | |
| S/A19121-08SP | Electronic Meter Cable 0.91m BF (5 pc) | |
| S/A19791-02SP | Turbine & Stainless Steel Meter Cable Assy 0.750m (10 pc) | |
| S/A29230 | Kit meter cable & guide cable assy 1" 9000/9100 | |
| S/A29231 | Kit meter cable & guide cable assy 3/4" 9000/9100 | |
| S/A29232 | Kit meter cable & guide cable assy 1" 1/2 9500 | |
| S/ABU28597 | Kit transfo 10 VA 400 mA resid | |
| S/ABU28597-20 | Kit transfo 10 VA 400 mA resid w/ UK plug | |
| S/A28359 | Kit Microswitch Auxiliary 9000/9100/9500 | |
| S/A10218SP | Microswitch (5 pc) | |
| S/A29233 | Kit microswitches for 9000/9100/9500 | |
| S/A16433SP | Microswitch 9000/9100/9500 (5 pc) | |
| S/A13296SP | Screw (50 pc) | |
| S/A29234 | Cover Designer Screws and Clips 9000/9100/9500 (10 pc) | |
| S/A29235 | Repair kit label shaft pos picto 9000/9100/9500 | |
| S/A26503-24 | Drive Motor Assy 24V 50/60 Hz Twin | |
| S/A29236 | Repair kit piston rod link 9000/9100/9500 | |
| S/A29237 | Repair kit drive gears/geneva wheel 9000/9100/9500 | |
| S/A29238 | Terminal Strip 6 Positions Weidmuller with labels | |
| S/ABR15132 | Triple Cam 9000/9100 DF | |
| S/A17765 | Triple Cam 9500 | |
| S/A27726 | Timer ET 9000/9100/9500 Down Flow | |
| S/ABU28712-02 | Timer Assy SXT 9000/9100/9500 | |
| S/ABR43346-E0 | Circuit board SXT programmed eco | |
| S/A29239 | Repair kit twin timer | |
| S/A29240 | Microswitch Timer kit (5 pc) | |
| S/A26778 | Timer motor assy 24V/50Hz 1/30 RPM | |

| Codice | Descrizione | € |
|----------|--|---|
| S/A26877 | Timer motor assy 24V/60Hz 1/30 RPM | |
| S/A29241 | Program wheel assy & labels 9000/9100/9500 | |
| S/A29242 | Timer Mechanical 8 m3 9000/9100/9500 | |
| S/A29243 | Timer Mechanical 20 m3 9000/9100/9500 | |
| S/A29244 | Timer Mechanical 40 m3 9000/9100/9500 | |
| S/A29245 | Timer Mechanical 100 m3 9000/9100/9500 | |
| S/A29246 | Timer Mechanical 200 m3 9500 | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|------------|------------------------------------|---|
| S/A27095 | Meter cable 9000 eco bypass | |
| S/A24528 | Program wheel assy 90min 9000/9100 | |
| S/A28358 | Timer ET 9000/9100 UF | |
| S/A28348 | Front label ET picto UF | |
| S/ABR43091 | Triple cam 9000/9100 UF | |

RICAMBI 2750

| Codice | Descrizione | € |
|----------------|---|---|
| S/A18046 | PH 2510/2750/2850 manual filter | |
| S/APH275MC-001 | PH 2510/2750/2850 timeclock 12 days | |
| S/APH275NC-002 | PH 2750/2850 NXT2 24 VDC-50/60Hz | |
| S/APH275SC-001 | PH 2510/2750/2850 SXT | |
| S/APH275XC-001 | PH 2510/2750/2850 no timer with aux micro wired/wiring std | |
| S/APH275MD-001 | PH 2510/2750/2850 Mechanical (8/20/40/100/200 m3) | |
| S/APH275MI-001 | PH 2510/2750/2850 Mechanical Immediate (8/20/40/100/200 m3) | |
| S/A29174 | Kit O-rings tank adapter 2750 (10 pc) | |
| S/A24962 | Tank adapt assy 2750 | |
| S/A24202-10 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24202-12 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24202-15 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24202-20 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24202-25 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24202-9 | DLFC 3/4" NPT - 3/4" BSP 2750 | |
| S/A24212-1.2 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-1.5 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-2 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-2.4 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-3 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-3.5 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-4 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-5 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A24212-7 | DLFC 3/4" NPT - 1/2" NPT 2750/2900 | |
| S/A29220 | Kit elbow 90° 1/4" x 3/8" Brass (10 pc) | |

| Codice | Descrizione | € |
|-----------------|---|---|
| S/A29221 | Kit elbow fitting male 1.2T x 3/8NPT (10 pc) | |
| S/A29247 | Injector assy 1650 #00 (#000 #0) 2750/2850/2910 | |
| S/A29181 | Injector assy 1650 #3 (#2 #1) 9500/2750/2850/2910 | |
| S/A29248 | Injector assy 1600 HW #2 (#0 #1 #3) 9500/2750/2850/2910 | |
| S/A29182 | Injector assy 1700/1710 #4C (#3C #5C) 9500/2750/2910 | |
| S/A29183 | Injector service kit 1650 9500/2510/2750/2850/2910 DF | |
| S/A29184 | Injector service kit 1710 9500/2750/2850/2910 DF | |
| S/A29253 | Meter cover assy 40m3 with impeller 2750 | |
| S/A29254 | Meter cover assy 8m3 with impeller 2750 | |
| S/A29166 | Meter cover assy 3/4" electronic w/impeller | |
| S/A29167 | Meter cover assy 1" electronic w/impeller | |
| S/A28533SP | Screw (10 pc) | |
| S/A29089 | Stainless steel meter 1" BSP Mech. 20m3/Electr. | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A29090 | Meter Assy SS 1" BSP Mech. 100m3 | |
| S/A61936-01 | Meter Cover extd 1to3" for SS Meters | |
| S/A29185 | Impeller kit for SS meter 1" - 5pcs | |
| S/A23748 | Elbow female 1"x 1" meter 2750 | |
| S/A24067-US | Piston assy 2510/2750/2900 Std/HW | |
| S/A26495-00 | Piston assy 2510/2750 NBP | |
| S/A26495-01 | Kit piston assy 2750 NBP filter | |
| S/A26495-02 | Kit piston assy 2750 NBP 1600 | |
| S/A26495-03 | Kit piston assy 2750 NBP 1700/1710 | |
| S/A28415 | S&S kit 2510/2750/2900 upper DF | |
| S/ABU28414 | S&S kit 2750/2900/2910 upper HW | |
| S/A29249 | Kit injector for filter customization 2750/2850/2910 | |
| S/A21361SP | Screw TCHCM 8x16 (50 pc) | |
| S/A11208-01SP | Adapt O-ring 560 CD 2750/2900/2910 (50 pc) | |
| S/A26909-0.50 | BV 1600 assy 2750NBP/2850 0.50 GPM | |
| S/A26909-1 | BV 1600 assy 2750NBP/2850 1 GPM | |
| S/A24994-1 | BV 1600 assy 2750 WBP/2910 HW 1 GPM | |
| S/A24994-0.25 | BV 1600 assy 2750 WBP/2910 HW 0.25 GPM | |
| S/A24994-0.50 | BV 1600 assy 2750 WBP/2910 HW 0.50 GPM | |
| S/A26680-0.25 | BV 1650 2750/2910 WBP assy 0.25 GPM plastic | |
| S/A26680-0.50 | BV 1650 2750/2910 WBP assy 0.50 GPM plastic | |
| S/A26680-1 | BV 1650 2750/2910 WBP assy 1 GPM plastic | |
| S/ABU28797-0.25 | BV 1650 assy 2750NBP/2850/2910 0.25 GPM | |
| S/ABU28797-0.50 | BV 1650 assy 2750NBP/2850/2910 0.50 GPM | |
| S/ABU28797-1 | BV 1650 assy 2750NBP/2850/2910 1 GPM | |
| S/A26990-1.2 | BV 1700 assy 2750WBP HW 1.2 GPM | |
| S/A26990-2 | BV 1700 assy 2750WBP HW 2 GPM | |
| S/A26990-4 | BV 1700 assy 2750WBP HW 4 GPM | |
| S/A26990-7 | BV 1700 assy 2750WBP HW 7 GPM | |

| Codice | Descrizione | € |
|----------------|--|---|
| S/A26991-1.2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 1.2 GPM | |
| S/A26991-2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 2 GPM | |
| S/A26991-4 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 4 GPM | |
| S/ABU28607-1.2 | BV 1710 2750 WBP 1.2 GPM | |
| S/ABU28607-2 | BV 1710 2750 WBP 2 GPM | |
| S/ABU28607-4 | BV 1710 2750 WBP 4 GPM | |
| S/ABU28607-7 | BV 1710 2750 WBP 7 GPM | |
| S/ABU28611-1.2 | BV 1710 UF 2750 1.2 GPM | |
| S/ABU28611-2 | BV 1710 UF 2750 2 GPM | |
| S/ABU28611-4 | BV 1710 UF 2750 4 GPM | |
| S/ABU28611-7 | BV 1710 UF 2750 7 GPM | |
| S/A18092-0.25 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-0.50 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-1 | Kit BV 1600 & BLFC assy indus | |
| S/A26677-0.25 | Kit BV 1650 assy 0.25 GPM | |
| S/A26677-0.50 | Kit BV 1650 assy 0.50 GPM | |
| S/A26677-1 | Kit BV 1650 assy 1 GPM | |
| S/A24181-1.2 | Kit BV 1700 assy | |
| S/A24181-2 | Kit BV 1700 assy | |
| S/A24181-4 | Kit BV 1700 assy | |
| S/A24181-7 | Kit BV 1700 assy | |
| S/A28423-1.2 | BV 1710 1.2 GPM except 9500 | |
| S/A28423-2 | BV 1710 2 GPM except 9500 | |
| S/A28423-4 | BV 1710 4 GPM except 9500 | |
| S/A28423-7 | BV 1710 7 GPM except 9500 | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|----------------|--|---|
| S/APH275MC-002 | PH 2510/2750/2850 timeclock 7 days | |
| S/APH275NC-001 | PH 2750/2850 NXT 24V/50Hz | |
| S/A24249 | Meter assy 3/4" 40 m ³ 2750 | |
| S/A24250 | Meter assy 3/4" 8 m ³ 2750 | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|-----------------------------|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |
| S/A19151SP | Flow washer 1 GPM (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29146 | Injector nozzle & throat steel HW #0 (5 pc) | |
| S/A29147 | Injector nozzle & throat steel HW #1 (5 pc) | |
| S/A29148 | Injector nozzle & throat steel HW #2 (5 pc) | |
| S/A29149 | Injector nozzle & throat steel HW #3 (5 pc) | |
| S/A29150 | Injector nozzle & throat steel HW #4 (5 pc) | |
| S/A29225 | Injector nozzle & throat 1700/1710 #3C Yellow (10 pc) | |
| S/A29226 | Injector nozzle & throat 1700/1710 #4C Green (10 pc) | |
| S/A29227 | Injector nozzle & throat 1700/1710 #5C White (10 pc) | |
| S/A29228 | Injector nozzle & throat 1700/1710 #6C Red (10 pc) | |
| S/A29229 | Injector nozzle & throat 1700/1710 #7C Black (10 pc) | |
| S/A25500-0.25 | BLFC assy 0.25 GPM 1600 Industrial | |
| S/A25500-0.50 | BLFC assy 0.50 GPM 1600 Industrial | |
| S/A25500-1 | BLFC assy 1 GPM 1600 Industrial | |

RICAMBI 2850

| Codice | Descrizione | € |
|-----------------|---|---|
| S/A18046 | PH 2510/2750/2850 manual filter | |
| S/APH275MC-001 | PH 2510/2750/2850 timeclock 12 days | |
| S/APH275NC-002 | PH 2750/2850 NXT2 24 VDC-50/60Hz | |
| S/APH275SC-001 | PH 2510/2750/2850 SXT | |
| S/APH275XC-001 | PH 2510/2750/2850 no timer with aux micro wired/wiring std | |
| S/APH275MD-001 | PH 2510/2750/2850 Mechanical (8/20/40/100/200 m3) | |
| S/APH275MI-001 | PH 2510/2750/2850 Mechanical Immediate (8/20/40/100/200 m3) | |
| S/A26909-0.50 | BV 1600 assy 2750NBP/2850 0.25 GPM | |
| S/A26909-0.50 | BV 1600 assy 2750NBP/2850 0.50 GPM | |
| S/A26909-1 | BV 1600 assy 2750NBP/2850 1 GPM | |
| S/ABU28796-0.25 | BV 1650 assy 2850 NBP 0.25 GPM | |
| S/ABU28796-0.50 | BV 1650 assy 2850 NBP 0.50 GPM | |

| Codice | Descrizione | € |
|-----------------|--|---|
| S/ABU28796-1 | BV 1650 assy 2850 NBP 1 GPM | |
| S/ABU28797-0.25 | BV 1650 assy 2750NBP/2850/2910 0.25 GPM | |
| S/ABU28797-0.50 | BV 1650 assy 2750NBP/2850/2910 0.50 GPM | |
| S/ABU28797-1 | BV 1650 assy 2750NBP/2850/2910 1 GPM | |
| S/A26992-1.2 | BV 1700 assy 2850 NBP 1.2 GPM | |
| S/A26992-2 | BV 1700 assy 2850 NBP 2 GPM | |
| S/A26992-4 | BV 1700 assy 2850 NBP 4 GPM | |
| S/A26991-1.2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 1.2 GPM | |
| S/A26991-2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 2 GPM | |
| S/A26991-4 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 4 GPM | |
| S/ABU28610-1.2 | BV 1710 2750 NBP/2850 WBP/2910 1.2 GPM | |
| S/ABU28610-2 | BV 1710 2750 NBP/2850 WBP/2910 2 GPM | |
| S/ABU28610-4 | BV 1710 2750 NBP/2850 WBP/2910 4 GPM | |
| S/ABU28610-7 | BV 1710 2750 NBP/2850 WBP/2910 7 GPM | |
| S/ABU28608-1.2 | BV 1710 2850 NBP 1.2 GPM | |
| S/ABU28608-2 | BV 1710 2850 NBP 2 GPM | |
| S/ABU28608-4 | BV 1710 2850 NBP 4 GPM | |
| S/ABU28608-7 | BV 1710 2850 NBP 7 GPM | |
| S/A18092-0.25 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-0.50 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-1 | Kit BV 1600 & BLFC assy indus | |
| S/A26677-0.25 | Kit BV 1650 assy 0.25 GPM | |
| S/A26677-0.50 | Kit BV 1650 assy 0.50 GPM | |
| S/A26677-1 | Kit BV 1650 assy 1 GPM | |
| S/A24181-1.2 | Kit BV 1700 assy | |
| S/A24181-2 | Kit BV 1700 assy | |
| S/A24181-4 | Kit BV 1700 assy | |
| S/A24181-7 | Kit BV 1700 assy | |
| S/A28423-1.2 | BV 1710 1.2 GPM except 9500 | |
| S/A28423-2 | BV 1710 2 GPM except 9500 | |
| S/A28423-4 | BV 1710 4 GPM except 9500 | |
| S/A28423-7 | BV 1710 7 GPM except 9500 | |
| S/A26494-00 | Piston assy 2850 NBP | |
| S/A25155 | Piston assy 2850 | |
| S/A26494-01 | Kit piston assy 2850 NBP filter | |
| S/A26494-02 | Kit piston assy 2850 NBP 1600 | |
| S/A26494-03 | Kit piston assy 2850 NBP 1700/1710 | |
| S/ABU28684 | Kit S&S Plastic 2850 | |
| S/A29074 | Kit S&S 2850 HW | |
| S/A29180 | Kit O-rings tank adapter 9500/2850 (10 pc) | |
| S/A24991 | Reducer nipple 1 1/2" to 1" female | |
| S/A29220 | Kit elbow 90° 1/4" x 3/8" Brass (10 pc) | |
| S/A29221 | Kit elbow fitting male 1.2T x 3/8NPT (10 pc) | |

| Codice | Descrizione | € |
|-------------|---|---|
| S/A29247 | Injector assy 1650 #00 (#000 #0) 2750/2850/2910 | |
| S/A29181 | Injector assy 1650 #3 (#2 #1) 9500/2750/2850/2910 | |
| S/A29248 | Injector assy 1600 HW #2 (#0 #1 #3) 9500/2750/2850/2910 | |
| S/A29250 | Injector assy 1700/1710 #4C (#3C #5C) 2850 | |
| S/A29251 | Injector assy 1700/1710 #6C (#7C) 2850/2910 | |
| S/A29183 | Injector service kit 1650 9500/2510/2750/2850/2910 DF | |
| S/A29184 | Injector service kit 1710 9500/2750/2850/2910 DF | |
| S/A29249 | Kit injector for filter customization 2750/2850/2910 | |
| S/A29089 | Meter Assy SS 1" BSP Mech. 20m3/Electr. | |
| S/A29090 | Meter Assy SS 1" BSP Mech. 100m3 | |
| S/A29091 | Meter Assy SS 1.5" BSP Mech. 40m3/Electr. | |
| S/A29092 | Meter Assy SS 1.5" BSP Mech. 200m3 | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A61936-01 | Meter Cover extd 1to3" for SS Meters | |
| S/A29185 | Impeller kit for SS meter 1" - 5pcs | |
| S/A29186 | Impeller kit for SS meter 1,5in - 5pcs | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|----------------|------------------------------------|---|
| S/APH275MC-002 | PH 2510/2750/2850 timeclock 7 days | |
| S/APH275NC-001 | PH 2750/2850 NXT 24V/50Hz | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|-----------------------------|---|
| S/A19152SP | Flow washer 0.8 GPM (10 pc) | |
| S/A12085SP | Flow washer 1.2 GPM (10 pc) | |
| S/A12086SP | Flow washer 1.5 GPM (10 pc) | |
| S/A12087SP | Flow washer 2 GPM (10 pc) | |
| S/A12088SP | Flow washer 2.4 GPM (10 pc) | |
| S/A12089SP | Flow washer 3 GPM (10 pc) | |
| S/A12090SP | Flow washer 3.5 GPM (10 pc) | |
| S/A12091SP | Flow washer 4 GPM (10 pc) | |
| S/A12092SP | Flow washer 5 GPM (10 pc) | |
| S/A17814SP | Flow washer 6 GPM (10 pc) | |
| S/A12408SP | Flow washer 7 GPM (10 pc) | |
| S/A17943SP | Flow washer 8 GPM (10 pc) | |
| S/A17944SP | Flow washer 9 GPM (10 pc) | |
| S/A16529SP | Flow washer 10 GPM (5 pc) | |
| S/A16735SP | Flow washer 12 GPM (5 pc) | |
| S/A16736SP | Flow washer 15 GPM (5 pc) | |
| S/A16528SP | Flow washer 20 GPM (5 pc) | |
| S/A16737SP | Flow washer 25 GPM (5 pc) | |

| Codice | Descrizione | € |
|-----------------|---|---|
| S/A19151SP | Flow washer 1 GPM (10 pc) | |
| S/A29143 | Injector nozzle & throat #1 White (10 pc) | |
| S/A29144 | Injector nozzle & throat #2 Blue (10 pc) | |
| S/A29145 | Injector nozzle & throat #3 Yellow (10 pc) | |
| S/A29146 | Injector nozzle & throat steel HW #0 (5 pc) | |
| S/A29147 | Injector nozzle & throat steel HW #1 (5 pc) | |
| S/A29148 | Injector nozzle & throat steel HW #2 (5 pc) | |
| S/A29149 | Injector nozzle & throat steel HW #3 (5 pc) | |
| S/A29150 | Injector nozzle & throat steel HW #4 (5 pc) | |
| S/A29225 | Injector nozzle & throat 1700/1710 #3C Yellow (10 pc) | |
| S/A29226 | Injector nozzle & throat 1700/1710 #4C Green (10 pc) | |
| S/A29227 | Injector nozzle & throat 1700/1710 #5C White (10 pc) | |
| S/A29228 | Injector nozzle & throat 1700/1710 #6C Red (10 pc) | |
| S/A29229 | Injector nozzle & throat 1700/1710 #7C Black (10 pc) | |
| S/A25500-0.25 | BLFC assy 0.25 GPM 1600 Industrial | |
| S/A25500-0.50 | BLFC assy 0.50 GPM 1600 Industrial | |
| S/A25500-1 | BLFC assy 1 GPM 1600 Industrial | |
| S/A25581-25 | DLFC 1" NPT - 3/4" BSP assy 25 GPM 2850/2910/9500 | |
| S/A25171-1.2 | DLFC 1" NPT - 3/4" BSP Assy 1.2 GPM 2850/2910/9500 | |
| S/A25171-1.5 | DLFC 1" NPT - 3/4" BSP Assy 1.5 GPM 2850/2910/9500 | |
| S/A25171-2 | DLFC 1" NPT - 3/4" BSP Assy 2 GPM 2850/2910/9500 | |
| S/A25171-2.4 | DLFC 1" NPT - 3/4" BSP Assy 2.4 GPM 2850/2910/9500 | |
| S/A25171-3 | DLFC 1" NPT - 3/4" BSP Assy 3 GPM 2850/2910/9500 | |
| S/A25171-4 | DLFC 1" NPT - 3/4" BSP Assy 4 GPM 2850/2910/9500 | |
| S/A25171-5 | DLFC 1" NPT - 3/4" BSP Assy 5 GPM 2850/2910/9500 | |
| S/A25171-7 | DLFC 1" NPT - 3/4" BSP Assy 7 GPM 2850/2910/9500 | |
| S/A25581-8 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-9 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-10 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-12 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-15 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-20 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-25 | DLFC 1" NPT - 3/4" BSP assy 2850/2910/9500 | |
| S/A25581-ALL | DLFC kit 1" 2850/9500 10 to 25 GPM | |
| S/A29111-30to45 | Kit DLFC 2" BSP w/reducer 2" to 1" 30to 45 GPM 2850Filter | |
| S/A13640 | Dole 30.0 GPM | |

RICAMBI 2910

| Codice | Descrizione | € |
|----------------|-------------------------------|---|
| S/APH291MC-001 | PH 2910 timeclock 12 days | |
| S/APH291NC-003 | PH 2910 NXT2 24VDC-50/60HZ | |
| S/APH291NC-004 | PH 2910 NXT2 UF 24VDC-50/60HZ | |
| S/APH291SC-001 | PH 2910 SXT | |

| Codice | Descrizione | € |
|-----------------|---|---|
| S/APH291XC-001 | PH 2910 no timer wired wiring std | |
| S/APH291MD-001 | PH 2910 Mechanical (40/75/200/375 m3) | |
| S/APH291MI-001 | PH 2910 Mechanical Immediate (40/75/200/375 m3) | |
| S/APH2910-001 | PH 2910 adapter 24V/50Hz 1 msw | |
| S/APH2910-002 | PH 2910 adapter for NXT/NXT2 24VDC-50/60Hz | |
| S/APH2910-003 | PH 2900/2910 adapt duplex A | |
| S/A29220 | Kit elbow 90° 1/4" x 3/8" Brass (10 pc) | |
| S/A29221 | Kit elbow fitting male 1.2T x 3/8NPT (10 pc) | |
| S/A29247 | Injector assy 1650 #00 (#000 #0) 2750/2850/2910 | |
| S/A29181 | Injector assy 1650 #3 (#2 #1) 9500/2750/2850/2910 | |
| S/A29252 | Injector assy 1600 #2 (#0 #1 #3) 2910 UF | |
| S/A29248 | Injector assy 1600 HW #2 (#0 #1 #3) 9500/2750/2850/2910 | |
| S/A29182 | Injector assy 1700/1710 #4C (#3C #5C) 9500/2750/2850/2910 | |
| S/A29251 | Injector assy 1700/1710 #6C (#7C) 2850/2910 | |
| S/A29083 | Injector assy 1700/1710 #4C (#3C #5C #6C) 2910 UF | |
| S/A29183 | Injector service kit 1650 9500/2510/2750/2850/2910 DF | |
| S/A29184 | Injector service kit 1710 9500/2750/2850/2910 DF | |
| S/A29249 | Kit injector for filter customization 2750/2850/2910 | |
| S/ABU28797-0.25 | BV 1650 assy 2750NBP/2850/2910 0.25 GPM | |
| S/ABU28797-0.50 | BV 1650 assy 2750NBP/2850/2910 0.50 GPM | |
| S/ABU28797-1 | BV 1650 assy 2750NBP/2850/2910 1 GPM | |
| S/A26909-0.50 | BV 1600 assy 2750NBP/2850 0.50 GPM | |
| S/A26909-1 | BV 1600 assy 2750NBP/2850 1 GPM | |
| S/ABU28610-1.2 | BV 1710 2750 NBP/2850 WBP/2910 1.2 GPM | |
| S/aBU28610-2 | BV 1710 2750 NBP/2850 WBP/2910 2 GPM | |
| S/ABU28610-4 | BV 1710 2750 NBP/2850 WBP/2910 4 GPM | |
| S/ABU28610-7 | BV 1710 2750 NBP/2850 WBP/2910 7 GPM | |
| S/ABU28614-1.2 | BV 1710 2910 UF 1.2 GPM | |
| S/ABU28614-2 | BV 1710 2910 UF 2 GPM | |
| S/ABU28614-4 | BV 1710 2910 UF 4 GPM | |
| S/ABU28614-7 | BV 1710 2910 UF 7 GPM | |
| S/A24994-1 | BV 1600 assy 2750 WBP/2910 HW 1 GPM | |
| S/A24994-0.25 | BV 1600 assy 2750 WBP/2910 HW 0.25 GPM | |
| S/A24994-0.50 | BV 1600 assy 2750 WBP/2910 HW 0.50 GPM | |
| S/ABU28807-0.25 | BV 1650 assy 2910 UF 0.25 GPM | |
| S/ABU28807-0.50 | BV 1650 assy 2910 UF 0.50 GPM | |
| S/ABU28807-1 | BV 1650 assy 2910 UF 1 GPM | |
| S/A26991-1.2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 1.2 GPM | |
| S/A26991-2 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 2 GPM | |
| S/A26991-4 | BV 1700 assy 2750 NBP/2850 WBP/ 2910 4 GPM | |
| S/A60625-10 | Meter assy 2" electronical plastic | |
| S/A60620-10 | Meter assy 2" 75 m3 plastic | |
| S/A60621-10 | Meter assy 2" 375 m3 plastic | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A29094 | Meter Assy SS 2" BSP Mech. 75m3/Electr. | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A29095 | Meter Assy SS 2" BSP Mech. 375m3 | |
| S/A61936-01 | Meter Cover extd 1 to 3" for SS Meters | |
| S/A29187 | Impeller kit for SS meter 2" - 5pcs | |
| S/A29084 | Kit O-rings tank adapter 2910 (10 pc) | |
| S/A24205 | S&S kit 2900/2910 lower | |
| S/A26107 | S&S kit 2900/2910 lower HW | |
| S/A28412-US | Piston assy 2900/2910 Lower WBP | |
| S/A28413-US | Piston assy 2900/2910 Lower NBP | |
| S/A28415 | S&S kit upper | |
| S/ABU28414 | S&S kit 2750/2900/2910 upper HW | |
| S/A28416-US | Piston assy 2910 Upper | |
| S/A28417 | Piston assy 2910 Upper Up Flow | |
| S/ABR15374 | Impeller 2" | |
| S/ABR15432 | Impeller shaft for impeller 15374-01 | |
| S/ABR15374 | Impeller assy 2" brass meter | |
| S/A15532 | Impeller shaft bearing | |
| S/A18092-0.25 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-0.50 | Kit BV 1600 & BLFC assy indus | |
| S/A18092-1 | Kit BV 1600 & BLFC assy indus | |
| S/A26677-0.25 | Kit BV 1650 assy 0.25 GPM | |
| S/A26677-0.50 | Kit BV 1650 assy 0.50 GPM | |
| S/A26677-1 | Kit BV 1650 assy 1 GPM | |
| S/A24181-1.2 | Kit BV 1700 assy | |
| S/A24181-2 | Kit BV 1700 assy | |
| S/A24181-4 | Kit BV 1700 assy | |
| S/A24181-7 | Kit BV 1700 assy | |
| S/A28423-1.2 | BV 1710 1.2 GPM except 9500 | |
| S/A28423-2 | BV 1710 2 GPM except 9500 | |
| S/A28423-4 | BV 1710 4 GPM except 9500 | |
| S/A28423-7 | BV 1710 7 GPM except 9500 | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|----------------|---------------------------------|---|
| S/A13882SP | Impeller Post for 13509 (10 pc) | |
| S/APH291MC-002 | PH 2910 timeclock 7 days | |
| S/APH291NC-001 | PH 2910 NXT/50Hz | |
| S/APH291NC-002 | PH 2910 NXT UF 24V/50Hz | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|--------------|-------------------------------------|---|
| S/A25171-1.2 | DLFC 1" NPT - 3/4" BSP assy 1.2 GPM | |
| S/A25171-1.5 | DLFC 1" NPT - 3/4" BSP assy 1.5 GPM | |

| Codice | Descrizione | € |
|--------------|---|---|
| S/A25171-2 | DLFC 1" NPT - 3/4" BSP assy 2 GPM | |
| S/A25171-2.4 | DLFC 1" NPT - 3/4" BSP assy 2.4 GPM | |
| S/A25171-3 | DLFC 1" NPT - 3/4" BSP assy 3 GPM | |
| S/A25171-4 | DLFC 1" NPT - 3/4" BSP assy 4 GPM | |
| S/A25171-5 | DLFC 1" NPT - 3/4" BSP assy 5 GPM | |
| S/A25171-7 | DLFC 1" NPT - 3/4" BSP assy 7 GPM | |
| S/A25581-8 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-9 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-10 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-12 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-15 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-20 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-25 | DLFC 1" NPT - 3/4in BSP assy 2850/2910/9500 | |
| S/A25581-ALL | Kit DLFC 1" 2850/2910/9500 10 to 25 GPM | |
| S/A13640 | Dole 30.0 GPM | |

POWER HEAD 2910 ADAPTER

| Codice | Descrizione | € |
|-------------|--|---|
| S/A18709-50 | Back plate 2900/2910 lower | |
| S/A21361SP | Screw TCHCM 8x16 (50 pc) | |
| S/ABR42446 | Harness lower drive (ex 40405) | |
| S/ABR44400 | Wire harness NXT/NXT2 lower 2910/3900 | |
| S/A26218-01 | Cover assy 2900/2910 lower grey | |
| S/A29208 | Motor assy 2910 lower 24VAC/DC-50/60Hz | |

POWER HEAD 2510/2750/2850/2910 UPPER

| Codice | Descrizione | € |
|---------------|---|---|
| P/N26260 | Transfo 60VA (for mechanical/SXT/NXT version) | |
| S/A44415 | NXT2 Transformer 230V-24VDC-50/60HZ | |
| S/A11545 | Power cord european black | |
| S/A28704SP | Plug (10 pc) | |
| S/A19121-01SP | Electronic Meter Cable 0.47m (5 pc) | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/A25348 | Guide cable & cable assy 2750 3/4" | |
| S/A25349 | Guide cable & cable assy 2750 1" | |
| S/A25350 | Guide cable & cable assy 2850 1" | |
| S/A27105 | Guide cable & cable assy 2850 1 1/2" | |
| S/A25351 | Guide cable & cable assy | |
| S/A29205 | Drive motor assy 2750/2850 24VAC/DC-50/60Hz | |
| S/A29206 | Drive motor assy 2910 DF 24VAC/DC-50/60Hz | |
| S/A29207 | Drive motor assy 2910 UF 24VAC/DC - 50/60Hz | |
| S/A10231SP | Screw Hex Head Indus (50 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A26217-01 | Cover assy grey - clear window | |
| S/A29255 | Timer 3230 pulse | |
| S/A29257 | Timer 3200 timeclock 12 days | |
| S/A29259 | Timer 3210 delayed (8/20/40/75/100/200/240/375/1200 m3) | |
| S/A29260 | Timer 3220 immediate (8/20/40/75/100/200/240/375/1200 m3) | |
| S/ABU28712-01 | Timer assy SXT 2510/2750/2850/2910 | |
| S/ABR43346-E0 | Circuit board SXT programmed eco | |
| S/ABU28713 | Timer assy NXT | |
| S/ABR61702-03 | Circuit board NXT | |
| S/A29194 | Timer assy NXT2 | |
| S/A29195 | Front panel NXT2 | |
| S/A28008 | Harness pulse timer 3230 | |
| S/A40400 | Harness motor ex 11667 | |
| S/A40422SP | Wire Nut Tan (50 pc) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|---------------------------------|---|
| S/A28114-06 | Meter cable NXT 0.7 m | |
| S/A19121-09SP | Meter cable NT/NXT 2,5 m (5 pc) | |
| S/A19121-10 | Meter cable NXT 7.7 m | |
| S/A13882SP | Impeller Post for 13509 (10 pc) | |
| S/ABU28714 | Cover front panel & label SXT | |
| S/A29258 | Timer 3200 timeclock 7 days | |
| S/ABU28713 | Timer assy NXT | |
| S/A27724-01 | Timer 3200 ET DF | |
| S/ABR61702-03 | Circuit board NXT | |
| S/ABU28724 | Retrofit kit timer NXT for SAV | |
| S/A40941 | Harness upper drive NXT | |

RICAMBI 3150

| Codice | Descrizione | € |
|----------------|---|---|
| S/APH3150-001 | PH 3150 24V/50Hz grey w/o timer | |
| S/APH315NC-001 | PH 3150 NXT2 24VDC-50/60Hz | |
| S/A18023 | Tank Adapt Assy 3150 SM - See accessories section | |
| S/A18024 | Tank adapt assy 3150 TM - See accessories section | |
| S/A29094 | Meter Assy SS 2" BSP Mech. 75m3/Electr. | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A29095 | Meter Assy SS 2" BSP Mech. 375m3 | |
| S/A61936-01 | Meter Cover extd 1to3" for SS Meters | |
| S/A29187 | Impeller kit for SS meter 2" - 5pcs | |
| S/A26745-4 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-5 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-6 | BV & Injector 1800 Assy 3150/3900 DF | |

| Codice | Descrizione | € |
|----------------|--------------------------------------|---|
| S/A26745-7 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-8 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-9 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-10 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A25165SP | Screw THM 12x35 (10 pc) | |
| S/A60106-00-US | Piston assy 3150/3900 Upper DF | |
| S/A60106-10 | Piston assy 3150/3900 Upper UF | |
| S/A60113-01-US | Piston assy 3150 NBP - DF | |
| S/A18022 | S&S kit 3150/3900 Upper | |
| S/A28339 | S&S Kit 3150/3900 Upper HW | |
| S/A25823 | O-ring 63 mm 3150 TM | |
| S/A15112 | Seal 3150 adapt base | |
| S/A16387 | VB plug 1/2" NPT 3150/3900 | |
| S/A15246-01SP | O-ring 560 CD (10 pc) | |
| S/A16341-02 | Inj plug 1800 | |
| S/A19677SP | Screw (50 pc) | |
| S/A60620-10 | Meter assy 2" 75 m³ plastic | |
| S/A60621-10 | Meter assy 2" 375 m³ plastic | |
| S/A60625-10 | Meter assy 2" elec plastic | |
| S/ABR15374 | Impeller 2" | |
| S/ABR15432 | Impeller shaft for impeller 15374-01 | |
| S/A15532 | Impeller shaft bearing | |
| S/A26754 | BV 1800 assy 3150/3900 | |
| S/A26755-4 | Inj assy 1800 3150/3900 DF | |
| S/A26755-5 | Inj assy 1800 3150/3900 DF | |
| S/A26755-6 | Inj assy 1800 3150/3900 DF | |
| S/A26755-7 | Inj assy 1800 3150/3900 DF | |
| S/A26755-8 | Inj assy 1800 3150/3900 DF | |
| S/A26755-9 | Inj assy 1800 3150/3900 DF | |
| S/A26755-10 | Inj assy 1800 3150/3900 DF | |
| S/A13575-01SP | O-ring 560 CD Top of Tank - (5 pc) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|----------------------|---|
| S/APH3150-002 | PH 3150 NXT 24V/50Hz | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|-----------------------------|---|
| S/A12086SP | Flow washer 1.5 gpm (10 pc) | |
| S/A12087SP | Flow washer 2 gpm (10 pc) | |
| S/A12089SP | Flow washer 3 gpm (10 pc) | |
| S/A12090SP | Flow washer 3.5 gpm (10 pc) | |
| S/A12092SP | Flow washer 5 gpm (10 pc) | |

| Codice | Descrizione | € |
|--------------|--|---|
| S/A12408SP | Flow washer 7 gpm (10 pc) | |
| S/A16529SP | Flow washer 10 gpm (5 pc) | |
| S/A16736SP | Flow washer 15 gpm (5 pc) | |
| S/A16528SP | Flow washer 20 gpm (5 pc) | |
| S/A16737SP | Flow washer 25 gpm (5 pc) | |
| S/A29275 | Injector nozzle & throat 1800 # 4 Green | |
| S/A29276 | Injector nozzle & throat 1800 # 5 Red | |
| S/A29277 | Injector nozzle & throat 1800 # 6 White | |
| S/A29278 | Injector nozzle & throat 1800 # 7 Blue | |
| S/A29279 | Injector nozzle & throat 1800 # 8 Yellow | |
| S/A29280 | Injector nozzle & throat 1800 # 9 Violet | |
| S/A29281 | Injector nozzle & throat 1800 # 10 Black | |
| S/A28388-1.5 | BLFC assy 1" 1800 1.5 gpm | |
| S/A28388-2 | BLFC assy 1" 1800 2 gpm | |
| S/A28388-3 | BLFC assy 1" 1800 3 gpm | |
| S/A28388-3.5 | BLFC assy 1" 1800 3.5 gpm | |
| S/A28388-5 | BLFC assy 1" 1800 5 gpm | |
| S/A28388-7 | BLFC assy 1" 1800 7 gpm | |
| S/A28388-10 | BLFC assy 1" 1800 10 gpm | |
| S/A28388-15 | BLFC assy 1" 1800 15 gpm | |
| S/A28388-20 | BLFC assy 1" 1800 20 gpm | |
| S/A26219-4 | Inj assy 1800 3150/3900 UF # 4 | |
| S/A26219-5 | Inj assy 1800 3150/3900 UF # 5 | |
| S/A26219-6 | Inj assy 1800 3150/3900 UF # 6 | |
| S/A26219-7 | Inj assy 1800 3150/3900 UF # 7 | |
| S/A26219-8 | Inj assy 1800 3150/3900 UF # 8 | |
| S/A26219-9 | Inj assy 1800 3150/3900 UF # 9 | |
| S/A25580-20 | DLFC 2" BSP - 2" BSP assy 20 GPM 3150/3900 | |
| S/A25580-25 | DLFC 2" BSP - 2" BSP assy 25 GPM 3150/3900 | |
| S/A25580-30 | DLFC 2" BSP - 2" BSP assy 30 GPM 3150/3900 | |
| S/A25580-35 | DLFC 2" BSP - 2" BSP assy 35 GPM 3150/3900 | |
| S/A25580-40 | DLFC 2" BSP - 2" BSP assy 40 GPM 3150/3900 | |
| S/A25580-45 | DLFC 2" BSP - 2" BSP assy 45 GPM 3150/3900 | |
| S/A25580-50 | DLFC 2" BSP - 2" BSP assy 50 GPM 3150/3900 | |
| S/A25580-55 | DLFC 2" BSP - 2" BSP assy 55 GPM 3150/3900 | |
| S/A25580-60 | DLFC 2" BSP - 2" BSP assy 60 GPM 3150/3900 | |
| S/A25580-65 | DLFC 2" BSP - 2" BSP assy 65 GPM 3150/3900 | |
| S/A25580-70 | DLFC 2" BSP - 2" BSP assy 70 GPM 3150/3900 | |
| S/A25580-75 | DLFC 2" BSP - 2" BSP assy 75 GPM 3150/3900 | |
| S/A25580-80 | DLFC 2" BSP - 2" BSP assy 80 GPM 3150/3900 | |
| S/A25580-85 | DLFC 2" BSP - 2" BSP assy 85 GPM 3150/3900 | |
| S/A25580-90 | DLFC 2" BSP - 2" BSP assy 90 GPM 3150/3900 | |
| S/A25580-95 | DLFC 2" BSP - 2" BSP assy 95 GPM 3150/3900 | |

| Codice | Descrizione | € |
|--------------|---|---|
| S/A25580-100 | DLFC 2" BSP - 2" BSP assy 100 GPM 3150/3900 | |
| S/A25580-ALL | DLFC Kit 2" 3150/3900 30 to 100 GPM 3150/3900 | |

RICAMBI 3900

| Codice | Descrizione | € |
|----------------|---|---|
| S/APH3900-001 | PH 3900 upper 24V/50Hz No Timer | |
| S/APH3900-004 | PH 3900 upper duplex A #7 24V/50Hz | |
| S/APH3900-005 | PH 3900 upper duplex B #7 24V/50Hz | |
| S/APH390NC-001 | PH 3900 NXT2 24VDC-50/60HZ | |
| S/APH390NC-002 | PH 3900 NXT2 UF 24VDC-50/60HZ | |
| S/APH3900-002 | PH 3900 lower duplex A #7 24V/50Hz | |
| S/APH3900-006 | PH 3900 lower duplex B #7 24V/50Hz | |
| S/APH3900-007 | PH 3900 adapter for NXT/NXT2 24VDC-50/60Hz | |
| S/A18925 | Tank adapt assy 3900 TM flanged 6" - See accessories section | |
| S/A18926 | Tank adapt assy 3900 SM - See accessories section | |
| S/A18041 | Tank adapt assy 3900 TM threaded 6" - See accessories section | |
| S/A29080 | Meter assy SS 3" BSP Mechanical 240m3 / Electronic | |
| S/A61936 | Meter Cover 1 to 3" for SS Mech.Elect. | |
| S/A62078-01 | Service Kit, 3" SS Meter, 3900 Std Range | |
| S/A29081 | Meter assy SS 3" BSP Mechanical 1200m3 | |
| S/A61936-01 | Meter Cover extd 1to3" for SS Meters | |
| S/A62078-02 | Service Kit, 3" SS Meter, 3900 Ext Range | |
| S/A16258 | Flow disperser 3" ex 16980 | |
| S/A26745-4 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-5 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-6 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-7 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-8 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-9 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26745-10 | BV & Injector 1800 Assy 3150/3900 DF | |
| S/A26652-4 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A26652-5 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A26652-6 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A26652-7 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A26652-8 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A26652-9 | BV & Injector 1800 Assy 3150/3900 UF | |
| S/A18044 | Coupling 3900 assy | |
| S/A60106-00-US | Piston assy 3150/3900 Upper DF | |
| S/A60106-10 | Piston assy 3150/3900 Upper UF | |
| S/A18022 | S&S kit 2930/3150/3900 Upper | |
| S/A28339 | S&S Kit 3150/3900 Upper HW | |
| S/A16574SP | Washer (10 pc) | |

| Codice | Descrizione | € |
|---------------|----------------------------|---|
| S/A25165SP | Screw THM 12x35 (10 pc) | |
| S/A16387 | VB plug 1/2" NPT 3150/3900 | |
| S/A15246-01SP | O-ring 560 CD (10 pc) | |
| S/A16341-02 | Inj plug 1800 | |
| S/A19677SP | Screw (50 pc) | |
| S/A60107-00 | Piston assy 3900 Lower WBP | |
| S/A60107-10 | Piston assy 3900 Lower NBP | |
| S/A18064 | S&S kit 3900 lower | |
| S/A15112 | Seal 3150 adapt base | |
| S/A16575 | Impeller assy 3" | |
| S/A16279 | Impeller shaft meter | |
| S/A26754 | BV 1800 assy 3150/3900 | |
| S/A26755-4 | Inj assy 1800 3150/3900 DF | |
| S/A26755-5 | Inj assy 1800 3150/3900 DF | |
| S/A26755-6 | Inj assy 1800 3150/3900 DF | |
| S/A26755-7 | Inj assy 1800 3150/3900 DF | |
| S/A26755-8 | Inj assy 1800 3150/3900 DF | |
| S/A26755-9 | Inj assy 1800 3150/3900 DF | |
| S/A26755-10 | Inj assy 1800 3150/3900 DF | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|-------------------------|---|
| S/APH3900-009 | PH 3900 NXT 24V/50HZ | |
| S/APH3900-010 | PH 3900 NXT UF 24V/50HZ | |

PARTS FOR OTHER VALVE CONFIGURATIONS

| Codice | Descrizione | € |
|------------|--|---|
| S/A12086SP | Flow washer 1.5 gpm (10 pc) | |
| S/A12087SP | Flow washer 2 gpm (10 pc) | |
| S/A12089SP | Flow washer 3 gpm (10 pc) | |
| S/A12090SP | Flow washer 3.5 gpm (10 pc) | |
| S/A12092SP | Flow washer 5 gpm (10 pc) | |
| S/A12408SP | Flow washer 7 gpm (10 pc) | |
| S/A16529SP | Flow washer 10 gpm (5 pc) | |
| S/A16736SP | Flow washer 15 gpm (5 pc) | |
| S/A16528SP | Flow washer 20 gpm (5 pc) | |
| S/A16737SP | Flow washer 25 gpm (5 pc) | |
| S/A29275 | Injector nozzle & throat 1800 # 4 Green | |
| S/A29276 | Injector nozzle & throat 1800 # 5 Red | |
| S/A29277 | Injector nozzle & throat 1800 # 6 White | |
| S/A29278 | Injector nozzle & throat 1800 # 7 Blue | |
| S/A29279 | Injector nozzle & throat 1800 # 8 Yellow | |
| S/A29280 | Injector nozzle & throat 1800 # 9 Violet | |

| Codice | Descrizione | € |
|--------------|---|---|
| S/A29281 | Injector nozzle & throat 1800 # 10 Black | |
| S/A28388-1.5 | BLFC assy 1" 1800 1.5 gpm | |
| S/A28388-2 | BLFC assy 1" 1800 2 gpm | |
| S/A28388-3 | BLFC assy 1" 1800 3 gpm | |
| S/A28388-3.5 | BLFC assy 1" 1800 3.5 gpm | |
| S/A28388-5 | BLFC assy 1" 1800 5 gpm | |
| S/A28388-7 | BLFC assy 1" 1800 7 gpm | |
| S/A28388-10 | BLFC assy 1" 1800 10 gpm | |
| S/A28388-15 | BLFC assy 1" 1800 15 gpm | |
| S/A28388-20 | BLFC assy 1" 1800 20 gpm | |
| S/A26219-4 | Inj assy 1800 3150/3900 UF # 4 | |
| S/A26219-5 | Inj assy 1800 3150/3900 UF # 5 | |
| S/A26219-6 | Inj assy 1800 3150/3900 UF # 6 | |
| S/A26219-7 | Inj assy 1800 3150/3900 UF # 7 | |
| S/A26219-8 | Inj assy 1800 3150/3900 UF # 8 | |
| S/A26219-9 | Inj assy 1800 3150/3900 UF # 9 | |
| S/A25580-20 | DLFC 2" BSP - 2" BSP assy 20 GPM 3150/3900 | |
| S/A25580-25 | DLFC 2" BSP - 2" BSP assy 25 GPM 3150/3900 | |
| S/A25580-30 | DLFC 2" BSP - 2" BSP assy 30 GPM 3150/3900 | |
| S/A25580-35 | DLFC 2" BSP - 2" BSP assy 35 GPM 3150/3900 | |
| S/A25580-40 | DLFC 2" BSP - 2" BSP assy 40 GPM 3150/3900 | |
| S/A25580-45 | DLFC 2" BSP - 2" BSP assy 45 GPM 3150/3900 | |
| S/A25580-50 | DLFC 2" BSP - 2" BSP assy 50 GPM 3150/3900 | |
| S/A25580-55 | DLFC 2" BSP - 2" BSP assy 55 GPM 3150/3900 | |
| S/A25580-60 | DLFC 2" BSP - 2" BSP assy 60 GPM 3150/3900 | |
| S/A25580-65 | DLFC 2" BSP - 2" BSP assy 65 GPM 3150/3900 | |
| S/A25580-70 | DLFC 2" BSP - 2" BSP assy 70 GPM 3150/3900 | |
| S/A25580-75 | DLFC 2" BSP - 2" BSP assy 75 GPM 3150/3900 | |
| S/A25580-80 | DLFC 2" BSP - 2" BSP assy 80 GPM 3150/3900 | |
| S/A25580-85 | DLFC 2" BSP - 2" BSP assy 85 GPM 3150/3900 | |
| S/A25580-90 | DLFC 2" BSP - 2" BSP assy 90 GPM 3150/3900 | |
| S/A25580-95 | DLFC 2" BSP - 2" BSP assy 95 GPM 3150/3900 | |
| S/A25580-100 | DLFC 2" BSP - 2" BSP assy 100 GPM 3150/3900 | |
| S/A25580-ALL | DLFC Kit 2" 3150/3900 30 to 100 GPM 3150/3900 | |

POWER HEAD 3150/3900 UPPER

| Codice | Descrizione | € |
|----------|---|---|
| S/A26637 | Cover assy 3150/3900 upper grey | |
| S/A26259 | Transfo 105VA 3900 (for mechanical/NXT version) | |
| P/N26260 | Transfo 60VA (for mechanical/SXT/NXT version) | |
| S/A44415 | NXT2 Transformer 230V-24VDC-50/60HZ | |
| S/A17967 | Liquid tight | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A19121-01SP | Electronic Meter Cable 0.47m (5 pc) | |
| S/A25353 | Guide cable & cable assy 3900/9500 | |
| S/A25352 | Guide cable & cable assy 3150 2" | |
| S/ABU28713 | Timer assy NXT | |
| S/A29195 | Front Panel NXT2 | |
| S/A16051SP | Retaining Ring (10 pc) | |
| S/A16059SP | Washer (10 pc) | |
| S/A16052SP | Bushing (10 pc) | |
| S/A23728SP | Screw THM 6x12 (50 pc) | |
| S/A40080SP | Screw Microswitch (50 pc) | |
| S/A10218SP | Microswitch (5 pc) | |
| S/A10872SP | Screw Motor Mounting (50 pc) | |
| S/A17797 | Bracket switch mounting | |
| S/A16494-04 | Cam assy 3150/3900 upper UF grey | |
| S/A16494-05 | Cam assy 3150/3900 upper DF black | |
| S/A29212 | Drive motor assy 3150/3900 24VAC/DC-50/60Hz | |
| S/A15120-01 | Bracket motor 3150/3900 | |
| S/A21361SP | Screw TCHCM 8x16 (50 pc) | |
| S/A11080SP | Screw Flat Head (50 pc) | |
| S/A18963-31 | Drive gear 3150 adapt | |
| S/A16050SP | Retaining Ring (10 pc) | |
| S/A11709 | Pin link 3150/3900 | |
| S/A11898SP | Clip 3150/3900 (50 pc) | |
| S/A29255 | Timer 3230 pulse | |
| S/A29257 | Timer 3200 timeclock 12 days | |
| S/A29259 | Timer 3210 delayed (8/20/40/75/100/200/240/375/1200 m3) | |
| S/A29260 | Timer 3220 immediate (8/20/40/75/100/200/240/375/1200 m3) | |
| S/A14822 | Harness motor (not shown) | |
| S/A40396 | Harness 3150/3900 upper (not shown) | |

PARTS FOR OBSOLETE MODELS

| Codice | Descrizione | € |
|---------------|--|---|
| S/A29258 | Timer 3200 timeclock 7 days | |
| S/A27724-01 | Timer 3200 ET DF | |
| S/ABU28713 | Timer assy NXT 3200 | |
| S/ABR61702-03 | Circuit board NXT | |
| S/A40941 | Harness upper drive 3200 NXT (not shown) | |

POWER HEAD 3900 ADAPTER

| Codice | Descrizione | € |
|------------|------------------------------|---|
| S/A17797 | Bracket switch mounting | |
| S/A10872SP | Screw Motor Mounting (50 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A16051SP | Retaining Ring (10 pc) | |
| S/A16059SP | Washer (10 pc) | |
| S/A16052SP | Bushing (10 pc) | |
| S/A11805SP | Screw Microswitch (50 pc) | |
| S/A10218SP | Microswitch (5 pc) | |
| S/A10231SP | Screw Hex Head Indus (50 pc) | |
| S/A29212 | Drive motor assy 3150/3900 24VAC/DC-50/60Hz | |
| S/ABR42446 | Harness lower drive (ex 40405) | |
| S/ABR44400 | Wire harness NXT/NXT2 lower 2910/3900 | |
| S/A16495 | Cam assy 3900 lower | |
| S/A11080SP | Screw Flat Head (50 pc) | |
| S/A16086 | Bracket motor 3900 | |
| S/A11898SP | Clip 3150/3900 (50 pc) | |
| S/A18726-50SP | Spacer Indicator (10 pc) | |
| S/A19315 | Indicator off line/on line 3900 | |
| S/A11774SP | Retaining Ring (10 pc) | |
| S/A16050SP | Retaining Ring (10 pc) | |
| S/A18963-39 | Drive gear 3900 adapt | |
| S/A21361SP | Screw TCHCM 8x16 (50 pc) | |
| S/ABU26638 | Cover assy grey 3900 lower | |

MECHANICAL TIMER 3200 SERIES/9000 SERIES

| Codice | Descrizione | € |
|---------------|-------------------------------------|---|
| S/A10896SP | Microswitch (5 pc) | |
| S/A15314SP | Microswitch Timer (5 pc) | |
| S/A11384SP | Screw PH 6-32x¼ Zinc (50 pc) | |
| S/A13009-21SP | 24 hour gear (10 pc) | |
| S/A13311SP | Spring Detent (50 pc) | |
| S/A13886SP | Knob Timer (5 pc) | |
| S/A13887SP | Plate Motor Mounting (2 pc) | |
| S/A14501SP | Clutch 1 mm (5 pc) | |
| S/A13902 | Harness timer 3200 | |
| S/A15203 | Harness timer 9000/9500 | |
| S/A24100 | Skipper wheel assy 12 days | |
| S/A14860 | Skipper wheel assy 7 days | |
| S/A15055SP | Main Drive Gear & Shaft (10 pc) | |
| S/A13911SP | Gear Main Drive Timer (10 pc) | |
| S/A26775 | Timer motor assy 230V/50Hz 1/30 RPM | |
| S/A26778 | Timer motor assy 24V/50Hz 1/30 RPM | |
| S/A26779 | Timer motor assy 24V/50Hz 1/15 RPM | |
| S/A15227 | Plate clutch actuator | |
| S/A13014 | Pointer regen | |

| Codice | Descrizione | € |
|------------|--|---|
| S/A13864SP | Skipper Wheel Ring (10 pc) | |
| S/A24193 | Kit meter cable assy immediate | |
| S/A24194 | Kit meter cable assy delayed | |
| S/A24195 | Kit meter cable assy 2750/3150/3900 | |
| S/A24196 | Kit meter cable assy 2750 i mm | |
| S/A24272 | Kit meter cable assy 2750 i mm | |
| S/A24273 | Kit meter cable assy 2750 | |
| S/A25725 | Kit meter cable assy 9000 1" | |
| S/A25726 | Kit meter cable assy 9500 1 1/2" | |
| S/A13881SP | Timer Hinge Bracket (10 pc) | |
| S/A21099SP | Screw terminal strip (50 pc) | |
| S/A24201 | Pgm wheel assy 160 min | |
| S/A28257 | Pgm wheel assy 160 min 3250 | |
| S/A24119 | Pgm wheel assy 8 m ³ | |
| S/A24580 | Pgm wheel assy 8 m ³ 9000/9100 | |
| S/A24538 | Pgm wheel assy 20 m ³ | |
| S/A24120 | Pgm wheel assy 40 m ³ | |
| S/A24536 | Pgm wheel assy 75 m ³ 2900/2910/3150 | |
| S/A24537 | Pgm wheel assy 100 m ³ | |
| S/A25692 | Pgm wheel assy 240 m ³ 3900 | |
| S/A24535 | Pgm wheel assy 375 m ³ 2900/2910/3150 | |
| S/A25693 | Pgm wheel assy 1200 m ³ 3900 | |
| S/A24914 | Pgm wheel assy 20 m ³ 9000/9100 | |
| S/A24915 | Pgm wheel assy 40 m ³ 9000/9100/9500 | |
| S/A24916 | Pgm wheel assy 100 m ³ 9000/9100 | |
| S/A18155 | Pgm wheel assy 200 m ³ 9500 | |
| S/A25803 | Drive gear timer | |
| S/A13164SP | Drive Gear ex 13723 (10 pc) | |
| S/A10300SP | Timer Screw (50 pc) | |
| S/A13312SP | Spring Idler (50 pc) | |
| S/A13802SP | Cycle Actuator Gear (10 pc) | |
| S/A15223SP | Cycle Actuator Gear (10 pc) | |
| S/A14087SP | Insulator (50 pc) | |
| S/A14265SP | Clip Spring Timer (10 pc) | |
| S/A14457SP | Spring Detent (50 pc) | |
| S/A13296SP | Screw (50 pc) | |
| S/A15320SP | Microswitch (5 pc) | |
| S/A15431SP | Cycle Actuator Gear Timer (10 pc) | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/A11413SP | Screw Pan Head 4.4x11/8 (50 pc) | |
| P/N13011 | ARM cycle actuatur | |
| S/A13017SP | Idler Gear (10 pc) | |
| S/A13018SP | Idler Pinion (10 pc) | |

| Codice | Descrizione | € |
|------------|-----------------------|---|
| S/A13300SP | Ball 1/4" dia (50 pc) | |

SPARE PARTS FOR OBSOLETE VALVES

RICAMBI 5000 SXT

| Codice | Descrizione | € |
|---------------|--|---|
| S/A18261SP | Screw (10 pc) | |
| S/ABU26080 | Piston assy 5000 UF & filter | |
| S/ABU26079 | Piston assy 5000 DF | |
| S/A26045 | S&S kit 5000 | |
| S/A24509-01 | Mixing assy resid | |
| S/A29158 | Injector service kit 5000/5800 | |
| S/A29153 | Injector kit 5800 DF #000 to 3 | |
| S/A29154 | Injector kit 5800 UF #000 to 3 | |
| S/APH5000-001 | PH 5000 SXT eco | |
| S/APH5000-002 | PH 5000 SXT TC | |
| S/APH5000-003 | PH 5000 SXT filter UF | |
| S/A18312SP | Retainer Drain (10 pc) | |
| S/A18569SP | Retainer tank seal 5800 (5 pc) | |
| S/A29152 | Kit O-rings tank adapter 5800/5000/9100/2510 (10 pc) | |
| S/A29086 | Kit mounting/adapter clips & screws residential | |
| S/A60626-01 | Meter assy 3/4" turbine SXT | |
| S/A13709 | Coupling assy 2510/resid/9000 | |
| S/A18202 | Back plate 5000 black | |
| S/A18228SP | Brine Cam 5000 DF (10 pc) | |
| S/A18251-01SP | Main Drive Gear UF 5000 SXT (10 pc) | |
| S/A18252SP | Brine Cam 5000 UF (10 pc) | |
| S/A19927SP | Drive Cam 5000 SXT DF (10 pc) | |
| S/A19928SP | Drive Cam 5000 SXT UF (10 pc) | |

POWER HEAD 5000 SXT

| Codice | Descrizione | € |
|---------------|--|---|
| P/N18260-00 | Cover front smoke | |
| S/ABR43346-E0 | Circuit board SXTprogrammed eco | |
| S/A14923SP | Screw Microswitch (50 pc) | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/ABU28600 | Wire harness power 4600/5000/5600 | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/ABU28597 | Kit transfo 10 VA 400 mA resid | |
| S/ABU28722 | Timer motor assy 24V/50Hz 5000 | |
| S/A18259-02 | Back Cover Plastic Black 5000 | |



RICAMBI 6600/6665 & 6700/6765

| Codice | Descrizione | € |
|-----------------|--|---|
| S/APH6600-004 | PH 6600 DF 24V/50Hz | |
| S/APH6600-005 | PH 6600 DF MW 24V/50Hz | |
| S/APH6600-006 | Power Head 6600 Eco Up Flow 24V/50Hz | |
| S/APH6665-002 | PH 6665 UF 24V/50Hz | |
| S/APH6665-003 | Power Head 6665 6 Cycles 24V/50Hz | |
| S/APH6700-004 | PH 6700 DF 24V/50Hz | |
| S/APH6700-005 | PH 6700 UF 24V/50Hz | |
| S/APH6700-006 | PH 6700 UF VB 24V/50Hz | |
| S/APH6765-002 | PH 6765 UF 24V/50Hz | |
| S/A29100 | End plug retainer kit 5600 | |
| S/A25593 | Piston assy 5600SXT/6600/6700 UF | |
| S/A27077-US | Piston assy 4600SXT/5600SXT/6600/6700 DF | |
| S/A24115 | S&S Kit Residential | |
| S/A24509-01 | Mixing assy residential | |
| S/A29101 | Kit O-rings tank adapter 5600 (10 pc) | |
| S/A26702 | Meter assy 3/4" elect. | |
| S/A29166 | Meter cover assy electronic 3/4" with impeller | |
| S/A29086 | Kit mounting/adapter clips & screws residential | |
| S/A29109 | Injector assy 5600 #000/0.8/0.125 (#00/1.2 -BLFC 0.25) | |
| S/A29110 | Injector assy 5600 #0/1.2/0.25 (w/washer 0.8-1.5 GPM-BLFC 0.125) | |
| S/A29111 | Injector assy 5600 #1/1.5/0.25 (w/ washer 2 & 2.4) | |
| S/A29112 | Injector assy 5600 #2/3.5/0.50 (w/ washer 4) | |
| S/A29113 | Injector assy 5600 #3/4/1 (w/ washer 5&7) | |
| S/A14193-03 | Drive panel 6700 | |
| S/A14870-0000SP | Inj Throat 1600 0000 (10 pc) | |
| S/A10913-0000SP | Inj Nozzle White (10 pc) | |
| S/A26124 | Brine cam assy UF 6665/6765 - old version | |
| S/A27938 | Meter assy 3/4" elec w/ antibackflow | |
| S/ABR61692 | Bracket support assy 6700 | |
| S/ABU28824-0.12 | BLFC assy 6665/6765 0.125 GPM vs14 | |
| S/ABU28824-0.25 | BLFC assy 6665/6765 0.250 GPM vs14 | |
| S/ABU28824-0.50 | BLFC assy 6665/6765 0.500 GPM vs14 | |
| S/ABU28825-0.12 | Kit chlorine cell 6665/6765 w/BLFC 0.125 - See accessories section | |
| S/ABU28825-0.25 | Kit chlorine cell 6665/6765 w/BLFC 0.250 - See accessories section | |
| S/ABU28825-0.50 | Kit chlorine cell 6665/6765 w/BLFC 0.500 - See accessories section | |
| S/ABU28882 | Adapter chlorine cell 6665/6765 | |

POWER HEAD 6600

| Codice | Descrizione | € |
|------------|---|---|
| S/A17885SP | Drive Cam UF Red (10 pc) | |
| S/A19025SP | Drive Cam 6600/6700 Var Brining (10 pc) | |
| S/A24601SP | Drive Cam UF DVGW Green (10 pc) | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A25329 | Retrofit kit drive motor assy 24V/50Hz 2 RPM | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/ABU28597 | Kit transfo 10 VA 400 mA resid | |
| S/A27944-10 | front panel assy 6600/6665 w/ circuit board | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/A27941 | Kit Touch Panel Board assy 6600/6665 | |

POWER HEAD 6700

| Codice | Descrizione | € |
|---------------|--|---|
| S/A25329 | Retrofit kit drive motor assy 24V/50Hz 2 RPM | |
| S/A17841-020 | Cover 6700 bottom black | |
| S/A17841-070 | Cover 6700 Bottom Blue | |
| S/AKIT265 | Pin hinge 6700 assy | |
| S/ABU28597 | Kit transfo 10 VA 400 mA resid | |
| S/ABU17842-00 | Cover top 6700 smoke | |
| S/ABU17842-07 | Cover top 6700 blue | |
| S/A17885SP | Drive Cam UF Red (10 pc) | |
| S/A24601SP | Drive Cam UF DVGW Green (10 pc) | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/A40422SP | Wire Nut Tan (50 pc) | |
| S/ABU28112 | Harness power (not shown) | |

RICAMBI 7700

| Codice | Descrizione | € |
|----------------|-----------------------------------|---|
| S/APH7700-001 | PH 7700 SXT filter | |
| S/APH7700-002 | PH 7700 SXT TC | |
| S/APH7700-003 | PH 7700 SXT eco | |
| S/A61452-10 | Piston assy 7700 HF | |
| S/A61452-20 | Piston assy 7700 filter 35 GPM | |
| S/A61453-10 | Piston assy 7700 | |
| S/A61438 | S&S kit 7700 D/F | |
| S/A28387-0.125 | BLFC assy 3/8" 1600 0.12 GPM 7700 | |
| S/A28387-0.25 | BLFC assy 3/8" 1600 0.25 GPM 7700 | |
| S/A28387-0.50 | BLFC assy 3/8" 1600 0.50 GPM 7700 | |
| S/A28387-1 | BLFC assy 3/8" 1600 1 GPM 7700 | |
| S/A29160 | Brine valve plug (10 pc) | |
| S/A26575 | BV 1600 assy 7600/7700 | |
| S/A28385-1.2 | DLFC 3/4" 1.2 GPM 7700 | |
| S/A28385-1.5 | DLFC 3/4" 1.5 GPM 7700 | |
| S/A28385-2 | DLFC 3/4" 2 GPM 7700 | |
| S/A28385-2.4 | DLFC 3/4" 2.4 GPM 7700 | |
| S/A28385-3 | DLFC 3/4" 3 GPM 7700 | |
| S/A28385-3.5 | DLFC 3/4" 3.5 GPM 7700 | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A28385-4 | DLFC ¾" 4 GPM 7700 | |
| S/A28385-5 | DLFC ¾" 5 GPM 7700 | |
| S/A28385-7 | DLFC ¾" 7 GPM 7700 | |
| S/A28370 | Inj cover assy 7700 | |
| S/A40950SP | Screen Inj 7700 (10 pc) | |
| S/A40990-01 | Inj plug assy 7700 | |
| S/A61454-0SP | Injector assy 5810/5812 #0 red (4 pc) | |
| S/A61454-1SP | Injector assy 5810/5812 #1 white (4 pc) | |
| S/A61454-2SP | Injector assy 5810/5812 #2 blue (4 pc) | |
| S/A61454-3SP | Injector assy 5810/5812 #3 yellow (4 pc) | |
| S/A61454-4SP | Injector assy 5810/5812 #4 green (4 pc) | |
| S/A61454-5SP | Injector assy 5810/5812 #5 grey (4 pc) | |
| S/A29161 | Kit retainer and o-ring 32 mm (10 pc) | |
| S/A61419SP | Kit 1.05" Distrib Adapt (10 pc) | |
| S/A40538SP | Retainer Tank Seal (10 pc) | |
| P/N40577 | Meter assy 1 ¼" elec 7700 | |
| S/A28386-ALL | DLFC kit 1" 5810/7700 10 to 25 GPM | |
| S/A28357 | Kit accessories 1600 7700 | |
| S/A28511-01SP | Top Distributor 1" Filter 5810/7700/2510 (10 pc) | |
| S/A28511SP | Top Distributor 1" 5810/7700/9100/2510 (10 pc) | |
| S/A28764SP | Top Distributor 32mm 5810/5812 2.5"/7700 (10 pc) | |
| S/ABU28732 | DLFC kit assy 1 ¼" | |
| S/ABU28734 | Retrofit kit 7700 SXT | |
| S/ABU28763 | Kit accessories 7700 filter | |
| S/A40569-01 | By Pass 7700 Valve With Clips | |

POWER HEAD 7700

| Codice | Descrizione | € |
|---------------|---------------|---|
| S/ABU28694 | S/ABU28694 | |
| S/ABR43360-EN | P/NBR43360-EN | |
| S/ABU28365 | S/ABU28365 | |
| S/A40967SP | S/A40967SP | |
| S/A40980 | S/A40980 | |
| S/A19791-01SP | S/A19791-01SP | |
| S/ABU28597-10 | S/ABU28597-10 | |
| S/A28367 | S/A28367 | |
| S/A40704SP | S/A40704SP | |
| S/A40977SP | S/A40977SP | |
| S/A28343 | S/A28343 | |

RICAMBI 2510

| Codice | Descrizione | € |
|-----------------|---|---|
| S/A28415 | S&S kit 2510/2750/2900 upper DF | |
| S/A26495-00 | Piston assy 2510/2750 NBP | |
| S/A24067-US | Piston assy 2510/2750/2900 Std/HW | |
| S/A27024 | Clamp assy 2510 | |
| S/A26953 | Adapt base assy 2510 | |
| S/A60080-0 | Inj assy 1650 2510 # 0 | |
| S/A60080-1 | Inj assy 1650 2510 # 1 | |
| S/A60080-2 | Inj assy 1650 2510 # 2 | |
| S/A60080-3 | Inj assy 1650 2510 # 3 | |
| S/APH275MC-001 | PH 2510/2750/2850 timeclock 12 days | |
| S/APH275MC-002 | PH 2510/2750/2850 timeclock 7 days | |
| S/APH275SC-001 | PH 2510/2750/2850 SXT | |
| S/APH275XC-001 | PH 2510/2750/2850 no timer wired wirng std | |
| S/APH275MD-001 | PH 2510/2750/2850 Mechanical (8/20/40/100/200 m3) | |
| S/APH275MI-001 | PH 2510/2750/2850 Mechanical Immediate (8/20/40/100/200 m3) | |
| S/A18046 | PH 2510/2750/2850 manual filter | |
| S/A19197SP | Slip Ring Ladder Valve (5 pc) | |
| S/A19936SP | Seal Adapter 2510 (5 pc) | |
| S/A29152 | Kit O-rings tank adapter 5800/5000/9100/2510 (10 pc) | |
| S/A29262 | Kit injector for filter customization 2510 | |
| S/A26680-0.25 | BV 1650 2750/2910 WBP assy 0.25 GPM plastic | |
| S/A26680-0.50 | BV 1650 2750/2910 WBP assy 0.50 GPM plastic | |
| S/A26680-1 | BV 1650 2750/2910 WBP assy 1 GPM plastic | |
| S/ABU28834-0.25 | BV 1650 2510 NBP assy 0.25 GPM plastic | |
| S/ABU28834-0.50 | BV 1650 2510 NBP assy 0.50 GPM plastic | |
| S/ABU28834-1 | BV 1650 2510 NBP assy 1 GPM plastic | |
| S/A26677-0.25 | Kit BV 1650 assy 0.25 GPM | |
| S/A26677-0.50 | Kit BV 1650 assy 0.50 GPM | |
| S/A26677-1 | Kit BV 1650 assy 1 GPM | |
| S/A12774-01 | Brine tube 1600 2750/2900 plastic | |
| S/A29086 | Kit mounting/adapter clips & screws residential | |
| S/A24543 | Meter assy ¾" plastic 90° | |
| S/A60626-01 | Meter assy ¾" turbine SXT | |
| S/A29105 | Impeller & oring kit for meter assy 3/4" | |
| S/A13386SP | Screw Hex Head (10 pc) | |
| S/A14428 | Brine tube 1650 2510 NBP plastic | |
| S/A27012-01 | Kit piston assy 2510 NBP filter | |
| S/A27012-02 | Kit piston assy 2510 NBP 1650 | |
| S/A28511-01SP | Top Distributor 1" Filter 5810/7700/2510 (10 pc) | |
| S/A28511SP | Top Distributor 1" 5810/7700/9100/2510 (10 pc) | |
| S/A40027 | Brine tube 1650 2510 plastic | |

| Codice | Descrizione | € |
|---------------|------------------------------|---|
| S/AKIT 256 | Kit coupling 2510 TC | |
| S/AKIT 257 | Kit coupling 2510 eco | |
| S/A26674-0.25 | BLFC assy 0.25 GPM 1650 2510 | |
| S/A26674-0.50 | BLFC assy 0.50 GPM 1650 2510 | |
| S/A26674-1 | BLFC assy 1 GPM 1650 2510 | |

RICAMBI 5810

| Codice | Descrizione | € |
|----------------|---|---|
| S/A61961 | Kit mounting 5810 / 5812 | |
| S/A61956-01 | Piston & cartridge assy 5810 DF | |
| S/A61956-02 | Piston & cartridge assy 5810 UF | |
| S/A61956-03 | Piston & cartridge assy 5810 Filter | |
| S/A61924 | Cartridge Seals & Spacers 5810 | |
| S/A26575 | Brine valve 1600 assembly 5810/5812/7700 | |
| S/A29160 | Brine valve plug (10 pc) | |
| S/A40576SP | Clip 5810/5812 Blue (10 pc) | |
| S/A24509-01 | Mixing assy residential | |
| S/A28370 | Cap cover assy 5810/5812/7700 | |
| S/A40951SP | O-ring-220 (10 pc) | |
| S/A61919 | Meter assembly, 1¼", 5810 & 5812 | |
| S/A29161 | Kit retainer and o-ring 32 mm (10 pc) | |
| S/A61419SP | Kit 1.05" distributor adapter (10 pc) | |
| S/A40945SP | Clip, drain retaining (10 pc) | |
| S/A28387-0.125 | BLFC ASSY 3/8IN 0.125 GPM 5810/5812/7700 | |
| S/A28387-0.25 | BLFC ASSY 3/8IN 0.25 GPM 5810/5812/7700 | |
| S/A28387-0.50 | BLFC ASSY 3/8IN 0.50 GPM 5810/5812/7700 | |
| S/A28387-1 | BLFC ASSY 3/8IN 1 GPM 5810/5812/7700 | |
| S/A40946SP | Clip, brine retaining (10 pc) | |
| S/A61923-20 | Cap, regulated injector, 20 PSI | |
| S/A61454-000SP | Injector assy 5810/5812 #000 brown (4 pc) | |
| S/A61454-00SP | Injector assy 5810/5812 #00 violet (4 pc) | |
| S/A61454-0SP | Injector assy 5810/5812 #0 red (4 pc) | |
| S/A61454-1SP | Injector assy 5810/5812 #1 white (4 pc) | |
| S/A61454-2SP | Injector assy 5810/5812 #2 blue (4 pc) | |
| S/A61454-3SP | Injector assy 5810/5812 #3 yellow (4 pc) | |
| S/A61454-4SP | Injector assy 5810/5812 #4 green (4 pc) | |
| S/A61454-5SP | Injector assy 5810/5812 #5 grey (4 pc) | |
| S/A61959SP | Injector plug with o-ring (10 pc) | |
| S/A43719SP | Injector screen 5810/5812 (10 pc) | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/A28386-ALL | DLFC kit 1" 5810/7700 10 to 25 GPM | |
| S/A28385-1.2 | DLFC 3/4in 5810/7700 1.2 GPM | |
| S/A28385-1.5 | DLFC 3/4in 5810/7700 1.5 GPM | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A28385-2 | DLFC 3/4in 5810/7700 2 GPM | |
| S/A28385-2.4 | DLFC 3/4in 5810/7700 2.4 GPM | |
| S/A28385-3 | DLFC 3/4in 5810/7700 3 GPM | |
| S/A28385-3.5 | DLFC 3/4in 5810/7700 3.5 GPM | |
| S/A28385-4 | DLFC 3/4in 5810/7700 4 GPM | |
| S/A28385-5 | DLFC 3/4in 5810/7700 5 GPM | |
| S/A28385-7 | DLFC 3/4in 5810/7700 7 GPM | |
| S/A28511-01SP | Top Distributor 1" Filter 5810/7700/2510 (10 pc) | |
| S/A28511SP | Top Distributor 1" 5810/7700/9100/2510 (10 pc) | |
| S/A28764SP | Top Distributor 32mm 5810/5812 2.5"/7700 (10 pc) | |

RICAMBI 5812

| Codice | Descrizione | € |
|----------------|---|---|
| S/A61961 | Kit mounting 5810 / 5812 | |
| S/A61960-01 | Piston & cartridge assy 5812 DF | |
| S/A61960-02 | Piston & cartridge assy 5812 UF | |
| S/A61960-03 | Piston & cartridge assy 5812 Filter | |
| S/A61925 | Cartridge seals & spacers 5812 | |
| S/A26575 | Brine valve, 1600 assembly | |
| S/A29160 | Brine valve plug (10 pc) | |
| S/A43596SP | Clip, drain retaining (10 pc) | |
| S/A40576SP | Clip 5810/5812 Blue (10 pc) | |
| S/A24509-01 | Mixing assy residential | |
| S/A61919 | Meter assembly, 1¼", 5810 & 5812 | |
| S/A40951SP | O-ring-220 (10 pc) | |
| S/A28370 | Cap cover assy 5810/5812/7700 | |
| S/A29161 | Kit retainer and o-ring 32 mm (10 pc) | |
| S/A29191 | Kit retainer and o-ring 1,5" (10 pc) | |
| S/A43719SP | Injector screen 5810/5812 (10 pc) | |
| S/A40946SP | Clip, brine retaining (10 pc) | |
| S/A28387-0.125 | BLFC ASSY 3/8IN 0.125 GPM 5810/5812/7700 | |
| S/A28387-0.25 | BLFC ASSY 3/8IN 0.25 GPM 5810/5812/7700 | |
| S/A28387-0.50 | BLFC ASSY 3/8IN 0.50 GPM 5810/5812/7700 | |
| S/A28387-1 | BLFC ASSY 3/8IN 1 GPM 5810/5812/7700 | |
| S/A61959SP | Injector plug with o-ring (10 pc) | |
| S/A29162 | Cap assembly, blank (10 pc) | |
| S/A61454-000SP | Injector assy 5810/5812 #000 brown (4 pc) | |
| S/A61454-00SP | Injector assy 5810/5812 #00 violet (4 pc) | |
| S/A61454-0SP | Injector assy 5810/5812 #0 red (4 pc) | |
| S/A61454-1SP | Injector assy 5810/5812 #1 white (4 pc) | |
| S/A61454-2SP | Injector assy 5810/5812 #2 blue (4 pc) | |
| S/A61454-3SP | Injector assy 5810/5812 #3 yellow (4 pc) | |

| Codice | Descrizione | € |
|-----------------|---|---|
| S/A61454-4SP | Injector assy 5810/5812 #4 green (4 pc) | |
| S/A61454-5SP | Injector assy 5810/5812 #5 grey (4 pc) | |
| S/A61923-20 | Cap, regulated injector, 20 PSI | |
| S/A61974-1.5to7 | DLFC assy 1" elbow BSP 1.5 to 7.0 GPM 5812 | |
| S/A61974-10to25 | DLFC assy 1" elbow BSP 10 to 25 GPM 5812 | |
| S/A61974-30-35 | DLFC assy 1" elbow BSP 30 & 35 GPM 5812 | |
| S/A61980-1.5to7 | DLFC assy 1 1/4" straight BSP 1.5 to 7.0 GPM 5812 | |
| S/A61980-10to25 | DLFC assy 1 1/4" straight BSP 10 to 25 GPM 5812 | |
| S/A61980-30to45 | DLFC assy 1 1/4" straight BSP 30 to 45 GPM 5812 | |
| S/A19791-01SP | Turbine Meter Cable elec 0.450 m (10 pc) | |
| S/A28764SP | Top Distributor 32mm 5810/5812 2.5"/7700 (10 pc) | |

ALTRI RICAMBI

| Codice | Descrizione | € |
|----------|----------------------------------|---|
| S/A11098 | Stuffer 2510/2750 | |
| S/A11749 | Stem guide | |
| S/A12682 | Puller 2" | |
| S/A12683 | Stuffer 2" | |
| S/A12702 | Reducing bushing 1"x3/4" | |
| S/A12763 | Stuffer resid & 9000/9100 | |
| S/A13061 | Puller 2510/2750/resid/9000/9100 | |
| S/A13759 | Tool removal DLFC | |
| S/A14086 | Cable meter 288 mm | |
| S/A14769 | Bracket motor | |
| S/A14792 | BV 1700 end plug | |
| S/A15416 | Tube brine 2900 8.671 | |
| S/A15455 | Cable meter 159 mm | |
| S/A15513 | Cable meter 444 mm | |
| P/N15526 | Cable meter 143 mm | |
| S/A16045 | Pinion drive | |
| S/A16046 | Drive gear | |
| S/A16047 | Link drive | |
| S/A16070 | Spacer wide 3900 | |
| S/A16076 | O-ring 042 3900 | |
| S/A16142 | Spacer wide 2900/2910 brass HW | |
| S/A16174 | Tube silicon 2 oz | |
| S/A16280 | Flow straightener 3" | |
| P/N16453 | Pipe fitting PVC | |
| S/A16484 | O-ring | |
| S/A16516 | Stuffer 2850/9500 | |
| S/A17623 | Puller 2850/9500 | |
| S/A17629 | Meter cable 184 mm | |
| P/N17741 | Meter cable | |

| Codice | Descrizione | € |
|----------|--|---|
| S/A17745 | Guide cable | |
| S/A17790 | Meter sleeve 1 1/2" to 1" | |
| S/A18182 | Top distrib 1" & pin HF HW | |
| S/A18317 | Tube 3/8" 1.25 m | |
| S/A18441 | Interlock harness duplex 6 m | |
| S/A18702 | Fitting tube 1/2" NPT 5/8" | |
| S/A18703 | Tube brine 5/8" od annealed | |
| S/A18724 | Window black cover 2900/2910 lower | |
| S/A18725 | Indicator off line/on line 2900/2910 | |
| S/A18991 | Seal kit 2900/2910 lower | |
| S/A19073 | Back plate RM ET | |
| S/A19300 | Rod piston 2850 | |
| S/A19305 | Back plate 3900 lower | |
| S/A19337 | Brine tube 1600 2850 NBP plastic | |
| S/A19338 | Brine tube 1700 2850 NBP copper | |
| S/A19339 | Spacer 2850 NBP | |
| S/A19452 | Gasket regulator 1600/1700 | |
| S/A19670 | Piston NBP spacer 2510/2750 | |
| S/A19682 | Brine tube 1700 copper | |
| S/A21617 | Kit BV 1600 assy | |
| S/A21650 | Float blue HW | |
| S/A21871 | Tubing 3/8" roll 100 m | |
| S/A23294 | Tube 3/8" 0.74 m | |
| S/A23517 | Tubing 1/2" roll 50 m | |
| S/A23954 | Label NBP | |
| S/A24084 | Body 3/8" assy SBV 2300 | |
| S/A24651 | Harness interlock | |
| S/A24685 | Simplex connector | |
| S/A24981 | Repair kit BV 1700 | |
| S/A25176 | Washer | |
| S/A25828 | Harness duplex B | |
| S/A25833 | Harness duplex A adapt | |
| S/A26780 | Timer motor assy 24V/50Hz 1 RPM | |
| S/A26861 | Piston assy 2750/2900 upper UF | |
| S/A27836 | Repair kit BV 1800 | |
| S/A27882 | Bracket motor adapt assy 1 microswitch | |
| S/A27937 | Adapt chlorinator assy | |
| S/A28164 | Drive cam assy 2900/2910 lower | |
| S/A28248 | Relay & harness 2750 duplex 24V | |
| S/A28389 | Kit brine cam & pin DF | |
| S/A28429 | End plug assy 2900/2910 | |
| S/A28430 | End plug assy 2900/2910 NBP | |
| S/A40409 | Harness motor | |

| Codice | Descrizione | € |
|---------------|--|---|
| S/A41447 | Brine tube 1710 2910 UF plastic | |
| S/A60734 | Pressure regulator assy 3150/3900 | |
| S/A61763 | Kit Communication Cable NXT/NXT2 | |
| S/A10150SP | Grommet Pass Rod 2300/2310/ 2350 (50 pc) | |
| S/A10160SP | Tube 3/8"-0.92 m (10 pc) | |
| S/A10209-01SP | Quad Ring 560 CD | |
| S/A10227SP | Screen Injector | |
| S/A10329SP | Fitting Nut 3/8" | |
| P/N10330SP | Delrin Sleeve 3/8" | |
| S/A10332SP | Insert Sleeve 3/8" | |
| S/A10338SP | Pin Roll 3/32x7/8 (50 pc) | |
| S/A10368SP | Spacer Narrow 3150/3900 Upper (2 pc) | |
| S/A10369SP | Spacer Ring 3150/3900 Upper (5 pc) | |
| S/A10598-02 | End plug assy 2510/2750 NBP | |
| S/A10598-031 | End plug assy 2750/2900 UF | |
| S/A10700SAN | Float white | |
| S/A10757BSP | End Spacer HW Brass (2 pc) | |
| S/A10757SP | End Spacer 2510/2750/2900/2910 (20 pc) | |
| S/A10909SP | Pin Link (50 pc) | |
| S/A11086SP | Screw M3x10 (50 pc) | |
| S/A11235SP | Nut Hex (50 pc) | |
| S/A11566SP | SBV Ball Stop (50 pc) | |
| S/A11720SP | Seal 2900/2910/3150/3900 (20 pc) | |
| S/A12044SP | Top Collector Pin (50 pc) | |
| S/A12767SP | Screen Brine Line (50 pc) | |
| S/A12977-01SP | O-ring 560 CD (50 pc) | |
| S/A13301-01SP | O-ring injector 560 CD (50 pc) | |
| S/A13302-01SP | O-ring brine spacer 560 CD (50 pc) | |
| S/A13303-01SP | O-ring injector cover 560 CD (50 pc) | |
| S/A13305-01SP | O-ring 560 CD Adapt Coupling (10 pc) | |
| S/A13771SP | O-ring 012 (50 pc) | |
| S/A13942SP | Nut Retainer Meter (5 pc) | |
| S/A14105SP | Seal Bypass 560CD (5 pc) | |
| S/A14813SP | Clip Piston Spring (10 pc) | |
| S/A14818SP | Clip Piston Rod (10 pc) | |
| S/A14922SP | O-ring 035 Piston (10 pc) | |
| S/A15137SP | Screw 10-24x 3/8" (50 pc) | |
| S/A15247SP | O-ring 229 (10 pc) | |
| S/A15414SP | Nut & Sleeve assy 1/2in (50pc) | |
| S/A15415SP | Insert Tube 1/2" (50 pc) | |
| S/A15707SP | O-ring 560 CD Meter 3" (10 pc) | |
| S/A16048-01 | Bearing drive link 3150/3900 upper | |
| S/A16068SP | Seal 3900 (4 pc) | |

| Codice | Descrizione | € |
|---------------|---|---|
| S/A16069SP | Spacer Narrow 3900 (2 pc) | |
| S/A16077SP | O-ring Coupling Adapt 3900 (10 pc) | |
| S/A16078SP | O-ring (10 pc) | |
| S/A16123SP | Nut Brass (50 pc) | |
| S/A16141SP | Spacer Narrow 2900/2910 Brass HW (2 pc) | |
| S/A16341-01 | Inj cover 1800 | |
| S/A16345-01SP | O-ring (2 pc) | |
| S/A16398-01 | End plug assy 3150 white | |
| S/A16398-11 | End plug assy 3150/3900 DF NBP black | |
| S/A16398-21 | End plug assy 3150/3900 UF grey | |
| S/A16399-01 | End plug assy 3900 white | |
| S/A16399-11 | End plug assy 3900 DF NBP black | |
| S/A16508-01 | Brine tube 1600 | |
| S/A16738SP | Flow Control Retainer (10 pc) | |
| S/A17224SP | O-ring (10 pc) | |
| S/A17421SP | Hole Plug (10 pc) | |
| S/A17749-00 | Relay SPDT 24V | |
| S/A17776-02 | Inj body 1600 UF | |
| S/A17845-01SP | Pin Hinge RM (5 pc) | |
| S/A17845-02SP | Pin Hinge 2510/2750/2850/2900/2910 (5 pc) | |
| S/A17845-03SP | Pin Hinge 3150/3900 Env (5 pc) | |
| S/A17906SP | Stem Guide BV (10 pc) | |
| S/A18108SP | Top Distrib 1" & pin HF (10 pc) | |
| S/A18703-01 | Brine tube 1800 3150/3900 UF copper | |
| S/A18727SP | Washer Curved Spring (10 pc) | |
| S/A18733SP | Air Check Ball 900 dia 1.40 (10 pc) | |
| S/A18986SP | Pin (50 pc) | |
| S/A19073-02 | Back plate RM mech | |
| S/A19121-03 | Meter cable ET 2.5 m | |
| S/A19121-04 | Meter cable ET 7.7 m | |
| S/A19292SP | O-ring BLFC 1" (10 pc) | |
| S/A19620-01 | Yoke plastic 90° assy 3/4" | |
| S/A19625SP | BV 1650 Plastic Nut Assy (50 pc) | |
| S/A19805SP | Nut SBV 2310 Plastic (50 pc) | |
| S/A21408SP | Tank Adapt Screw 3900 (12 pc) | |
| S/A21409SP | Nut (50 pc) | |
| S/A21741SP | O-ring Drain 560 CD (50 pc) | |
| S/A24216-100 | Timer 3240 2900/2910/3900 100 m³ | |
| S/A24216-1200 | Timer 3240 2900/2910/3900 1200 m³ | |
| S/A24216-20 | Timer 3240 2900/2910/3900 20 m³ | |
| S/A24216-200 | Timer 3240 2900/2910/3900 200 m³ | |
| S/A24216-240 | Timer 3240 2900/2910/3900 240 m³ | |
| S/A24216-375 | Timer 3240 2900/2910/3900 375 m³ | |

| Codice | Descrizione | € |
|----------------|--|---|
| S/A24216-40 | Timer 3240 2900/2910/3900 40 m ³ | |
| S/A24216-75 | Timer 3240 2900/2910/3900 75 m ³ | |
| S/A24267-02 | Drive cam assy 2510/2750/2850 | |
| S/A24267-03 | Drive cam assy 2910 DF | |
| S/A25175SP | Screw THM 8X65 (12 pc) | |
| S/A25686SP | BV44 w/o Tube (10 pc) | |
| S/A26149-0.12 | BLFC kit assy 1600 | |
| S/A26149-0.25 | BLFC kit assy 1600 | |
| S/A26149-0.50 | BLFC kit assy 1600 | |
| S/A26149-1 | BLFC kit assy 1600 | |
| S/A26163-0.12 | BLFC kit assy w/ elbow 3/8" | |
| S/A26163-0.25 | BLFC kit assy w/ elbow 3/8" | |
| S/A26163-0.50 | BLFC kit assy w/ elbow 3/8" | |
| S/A26163-1 | BLFC kit assy w/ elbow 3/8" | |
| S/A26207SP | DLFC retainer & O-ring assy (20pc) | |
| S/A26588-1200 | PH RM duplex # 6 & 2910 | |
| S/A26588-200 | PH RM duplex # 6 & 2910 | |
| S/A26588-240 | PH RM duplex # 6 & 2910 | |
| S/A26588-375 | PH RM duplex # 6 & 2910 | |
| S/A26588-40 | PH RM duplex # 6 & 2910 | |
| S/A26588-75 | PH RM duplex # 6 & 2910 | |
| S/A27919SP | Chlorinator Nut (10 pc) | |
| S/A28461-14 | Inline meter assy 1 1/2" BSP - see accessories | |
| S/A40078-01SP | End Plug O-ring (10 pc) | |
| S/A41056SP | Nut Assy 1/2" 1710 (50 pc) | |
| S/A60014SP | Body Assy SBV 2310 (10 pc) | |
| S/A60068-30SP | New Float Assy 2310 (10 pc) | |
| S/A61562-10SP | Connector Assy 1 1/2" BSP Brass QC (2 pc) | |
| S/ABR15452 | Meter cover assy plastic 90° | |
| S/ABR16395-021 | End plug assy NBP std & HW | |
| S/ABR16460 | Brine tube 2850/2900/2910 plastic | |
| S/ABR41616 | Nut 2" brass | |
| S/ABR42138 | Label keypad assy NXT | |
| S/ABU15277 | Reducer coupling 2" to 1" DLFC 2" | |
| S/ABU16800 | O-ring | |
| S/ABU26955 | O-ring repair kit for plastic bypass | |
| S/ABU27131-01 | Drive cam assy 2910 UF | |
| S/ABU27976 | Bracket terminal assy for ET valves | |
| S/ABU28426 | BV repair kit 1710/2750/2850/2910 | |
| S/ABU28493 | Brine tube copper | |
| S/ABU28647 | Brine cam 2750/2900/2910 UF | |
| S/ABU28672 | Kit microswitch 2510/2750/2850 | |
| S/ABU28673 | Kit microswitch 2510/2750/2850 filter | |

| Codice | Descrizione | € |
|--------------|------------------------------|---|
| S/ABU28674 | Kit microswitch 3900 | |
| S/ABU28793-0 | Kit PVC injector #0 | |
| S/ABU28793-1 | Kit PVC injector #1 | |
| S/ABU28793-2 | Kit PVC injector #2 | |
| S/ABU28793-3 | Kit PVC injector #3 | |
| S/AKIT 161 | Kit meter test 3900 | |
| S/AKIT 78 | Kit accessories 1800 | |
| S/AKIT 8 | Top distrib 2" & pin assy | |
| S/AKIT 9 | Top distrib 2" & pin assy HW | |