





7.0

Siata Valves

7.1 SIATA VALVES 214

VALVE V132	214
FITTINGS FOR V132, V240 WITH RAPIDE CONNECTION	214
VALVE V230	215
FITTINGS FOR V132 AND V230	215
VALVE V250	216
FITTINGS FOR V250	216
VALVE V360	217
FITTINGS FOR V360	217

PROFILTER VALVES AND 3-WAY VALVES 218

VALVE V351	218
VALVE V363	218
3-WAY VALVE 50 MM	219
3-WAY VALVE 63 MM	219

SEA WATER PROFILER VALVES 220

VALVE V351 SW	220
VALVE V363 SW	220
3-WAY VALVE 63 MM SW	220
FITTINGS FOR V350, V351 AND 3V-50	220
FITTINGS FOR V363 AND 3V-63	220
FITTINGS FOR V363 AND 3V-63	220

7.2 SIATA ACCESSORIES 221

BY-PASS	221
BY-PASS FITTINGS	221
COUNTERS	221
MISCELLANEOUS ACCESSORIES	221

7.3 SIATA TIMER 222

TIMER SIATA BASE LINE 222

SFE	222
SFE-EV	222
AQUAIONIC	222
TIMER FOR PROFILTER VALVES	222

7.4 SIATA SPARE PARTS

223

SPARE PARTS V132 V230 V240	223
SPARE PARTS V250 V260	225
SPARE PARTS V350 V363 3V	226
SFE SPARE PARTS	228
SPARE PARTS SFE-EV VIRIDION	229
MISCELLANEOUS	230
SPARE PARTS V132 V230 V240	230
SPARE PARTS V250 V260	230
SPARE PARTS V360	230
SFE TIMER SPARE PARTS	230
OBSOLETE TIMER SPARE PARTS (AQUA CUBIC, ...)	231
ACCESSORIES SPARE PARTS	231
ELECTRONIC BOARD	231
ALIMENTATION - CONNECTIONS	232
BOXES MECHANIZED TIMERS	232
OTHER	232

7.1 SIATA VALVES

VALVE V132

Valve for softening, filtration, demineralisation applications for head mounting. Manual control: can be achieved by means of a 1/4"- 1/2" three-way ball valve.

Technical specifications:

- Cylinder connection 2"1/2
- Maximum operating pressure 8.7 bar
- Flow rate at 1 bar ΔP - 6 m³/h
- Typical cylinder sizes from 7" to 18 "vf
- Quantity of regenerable resin from 15 to 150 litres

Inlet/outlet pipe connections

Model with quick couplings - Siata connectors code 2265-xxx


Threaded model - 2" BSP male

Accessories included:


Upper filter - Code 1001-32I

Lower Filter - Code 1002-D32

WITH QUICK INLET-OUTLET CONNECTIONS

Code	Description	€
V132A05	Softening valve body	
V132F05	Body valve filtration	
V132T05	Valve body with turbine	


WITH QUICK INLET-OUTLET CONNECTIONS AND EXTERNAL CONNECTIONS

Code	Description	€
V132E0505	Duplex valve body 5 connections	
V132ET0505	Duplex valve body 5 connections with turbine	

FOR DEMINERALISATION WITH FAST INPUT AND OUTPUT

Code	Description	€
V132D0405	Anion valve body with probe	
V132D0505	Body Cationic valve	

FITTINGS FOR V132, V240 WITH RAPIDE CONNECTION

Code	Description	€
2265-3L/05	Elbow fitting kit 1" bonding (ABS)	
2265-A/05	3/4" female threaded fitting kit (NYLON)	
2265-B/05	Fitting kit 1" female threaded (NYLON)	
2265-C/05	Fitting kit 1" 1/4 female threaded (NYLON)	
2265-D/05	Fitting kit 1" bonding (ABS)	
2265-GB/05	Fitting kit 1" 1/4 NPT COUPLE (NYLON)	
2265-H/05	Fitting kit 2" external - 1" internal (NYLON)	
2265-I/05	Fitting kit 2" external - 1" 1/4 internal (NYLON)	
2265-K/05	Fitting kit 1" 1/2 female threaded (NYLON)	

VALVE V230

Valve for softening, filtration, demineralisation applications for head mounting.

Technical specifications:

- Cylinder connection 4"
- Maximum operating pressure 8.7 bar
- Flow rate at 1 bar ΔP - 8 m³/h
- Typical cylinder sizes from 14" to 21"
- Quantity of regenerable resin from 80 to 200 litres

Inlet/outlet pipe connections

Threaded model - 2" BSP male

Accessories included:

Upper filter - Part No. 1005-A/05 for Softening

Lower Filter - Part No. 1006-A/05 for Softening

Upper filter - Code 1005-F/05 for Filtration

Lower Filter - Code 1006-F/05 for Filtration

Upper filter - Code 1005-D/05 for Demineralisation

Lower Filter - Code 1006-D/05 for Demineralisation

WITH TWIN PILOTS

Code	Description	€
V230A05	Softening valve body	
V230F05	Body valve filtration	
V230T05	Valve body with turbine	



WITH EXTERNAL CONNECTIONS

Code	Description	€
V230E05	Valve Body duplex	
V230ET0505	Duplex valve body 5 connections with turbine	



FOR DEMINERALISATION

Code	Description	€
V230D0505	Demineralisation valve body 5 connections	



FITTINGS FOR V132 AND V230

Code	Description	€
494-B/05	PVC fitting kit 2" valve side - 1" 1/4 outlet	
494-C/05	PVC fitting kit 2" valve side - Ø 40 female	
494-F/05	Brass fitting kit 2" valve side - 1" 1/2 male	
494-S/05	Fitting kit 2" Gas valve side - 1" 1/4 NPT outlet	
494-T/05	Fitting kit 2" Gas valve side - 40 mm NPT bonding	

VALVE V250

Valve for softening, demineralisation applications for head mounting.

NOTE!

This valve family was created with the ability to supply water that is always slightly mixed during service. If you want fully treated water, you must opt for the valve version 'without by-pass in service'.

Technical specifications:

- Cylinder connection 4"
- Maximum operating pressure 6 bar
- Flow rate at 1 bar ΔP - 20 m³/h
- Typical cylinder sizes from 21" to 30"
- Quantity of regenerable resin from 100 to 300 litres

Inlet/outlet pipe connections

Threaded model - 2" 1/4 BSP male

Accessories included:

Upper filter - Part No. 5200-A/05 for Softening

Lower Filter - Part No. 5201-A/05 for Softening

Upper filter - Code 5200-D/05 for Demineralisation

Lower Filter - Code 5201-D/05 for Demineralisation

WITH VALVE UNSTABLE

Code	Description	€
V250A05	Softening Valve Body	



VERSION WITHOUT BY-PASS IN SERVICE

Code	Description	€
V250ANB05	Softening valve body with no by-pass valve in service	



FOR DEMINERALISATION

Code	Description	€
V250DNB05	Valve Body cationic & anionic	



FITTINGS FOR V250

Code	Description	€
494-A/05	PVC fitting kit 2" 1/4 valve side - Ø 50 mm gluing	
494-G/05	Brass fitting kit 2" 1/4 valve side 2" male	
494-H/05	PVC fitting kit 2" 1/4 valve side - 1" 1/2 female	
494-P/05	Brass fitting kit 2" 1/4 valve side - 1" 1/2 male	

VALVE V360

Valve for softening, demineralisation applications for side mounting.

Technical specifications:

- Cylinder attachment: Flanged with Siata 364-xx flanges
- Input/output connection: Flanged with Siata 364-xx flanges
- Maximum operating pressure 6 bar
- Flow rate at 1 bar of ΔP - 38m³/h
- Typical cylinder sizes from 24" to 48"
- Quantity of regenerable resin from 300 to 1000 litres

Code	Description	€
V360A0505	Softening Valve Body	
V360F0405	Filter Valve Body	
V360D0405	Anion Valve Body	
V360D0505	Cationic Valve Body	



FITTINGS FOR V360

Code	Description	€
364-A/05	Flange 1" 1/2 female threaded	
364-B/05	Flange 2" female threaded	
364-C/05	Flange 2" 1/2 female threaded	
364-D/05	3" female threaded flange	
364-E01/05	Flange 50 mm ABS female bonding	
364-F01/05	Flange 63 mm ABS female bonding	
364-G01/05	Flange 75 mm ABS female bonding	
364-N01/05	Flange 60.4 mm ABS female bonding	
364-P01/05	ABS flange 3" NPT bonding (89.3 mm)	
364-Q01/05	ABS 3" bonded flange (90.2 mm)	

PROFILTER VALVES AND 3-WAY VALVES

VALVE V351

Valve for head-mounted filtration applications.

Technical specifications:

- Cylinder connection 4"
- Input/output connection 2" 1/4 BSP male
- Outlet connection 2" 1/4 BSP male
- Maximum operating pressure 6 bar
- Maximum pilot pressure 3.5 bar
- Flow rate at 1 bar ΔP - 22 m³/h
- Backwash flow rate at 1 bar ΔP - 22 m³/h

NOTE!

This valve automatically closes the service at the start of the washing cycle. Attachments not included.

BACKWASH ONLY VERSION

Code	Description	€
V351FBWFE05	Body Valve Filtration backwash only	



VERSION WITH EQUICURRENT

Code	Description	€
V351FFE05	Filter Valve Body with Equicurrent	



VALVE V363

Valve for side-mounted filtration applications.

Technical specifications:

- Cylinder attachment: 2" 3/4 BSP male
- Input/output connection: 2" 3/4 BSP male
- Exhaust port: 2" 3/4 BSP male
- Maximum operating pressure 6 bar
- Maximum pilot pressure 3.5 bar
- Flow rate at 1 bar ΔP - 38 m³/h
- Backwash flow rate at 1 bar ΔP - 40 m³/h

NOTE!

This valve automatically closes the service at the start of the washing cycle. Attachments not included.

BACKWASH ONLY VERSION

Code	Description	€
V363FBWFE05	Body Valve Filtration backwash only	
V363FBW105	Backwash-only filter valve body with safety spring	



VERSION WITH EQUICURRENT

Code	Description	€
V363FFE05	Filter Valve Body with Equicurrent	
V363FFE205	Filter Valve Body with Equicurrent with Safety Spring	



3-WAY VALVE 50 MM

3-way (diversion) valve.

Technical specifications:

- 2" 1/4 BSP male connection
- Maximum operating pressure 6 bar
- Maximum pilot pressure 3.5 bar
- Flow rate at 1 bar ΔP - 42 m³/h at 90° flow

NOTE!

Attachments not included.

DIVERSION VALVE

Code	Description	€
3V50FE05	THREE-WAY VALVE	
3V50FE105	Three-way valve with safety spring	



3-WAY VALVE 63 MM

3-way (diversion) valve.

Technical specifications:

- 2" 3/4 BSP male connection
- Maximum operating pressure 6 bar
- Maximum pilot pressure 3.5 bar
- Flow rate at 1 bar of ΔP - 72 m³/h at 90° flow

NOTE!

Attachments not included.

DIVERSION VALVE

Code	Description	€
3V63FE05	THREE-WAY VALVE	
3V63FE105	Three-way valve with safety spring	



SEA WATER PROFILER VALVES

VALVE V351 SW

Code	Description	€
V351FFE06	Filter Valve Body	

VALVE V363 SW


Code	Description	€
V363FFE06	Filter Valve Body	

3-WAY VALVE 63 MM SW

Code	Description	€
3V63FE06	THREE-WAY VALVE	


FITTINGS FOR V350, V351 AND 3V-50

Code	Description	€
494-A/05	PVC fitting kit 2" 1/4 valve side - Ø 50 mm gluing	
494-G/05	Brass fitting kit 2" 1/4 valve side 2" male	
494-H/05	PVC fitting kit 2" 1/4 valve side - 1" 1/2 female	
494-P/05	Brass fitting kit 2" 1/4 valve side - 1" 1/2 male	




FITTINGS FOR V363 AND 3V-63

Code	Description	€
494-I/05	PVC fitting kit 2" 3/4 valve side - 63 mm gluing	
494-I1/05	Fitting kit 2" 3/4 brass valve side - 63 mm PVC	
494-I2/05	Fitting kit 2" 3/4 brass valve side - 2" PVC	
494-R/05	Valve-side - 2" 3/4 PVC fitting kit	
494-U/05	Fitting kit 2" 3/4 PVC valve side - 2" PVC NPT	



FITTINGS FOR V363 AND 3V-63

Code	Description	€
494-A/05	PVC fitting kit 2" 1/4 valve side - Ø 50 mm gluing	
494-H/05	PVC fitting kit 2" 1/4 valve side - 1" 1/2 female	
494-I/05	PVC fitting kit 2" 3/4 valve side - 63 mm gluing	
494-I1/05	Fitting kit 2" 3/4 brass valve side - 63 mm PVC	
494-I2/05	Fitting kit 2" 3/4 brass valve side - 2" PVC	
494-R/05	Valve-side - 2" 3/4 PVC fitting kit	
494-U/05	Fitting kit 2" 3/4 PVC valve side - 2" PVC NPT	



7.2 SIATA ACCESSORIES

BY-PASS

Siata by-passes allow maintenance to be carried out on the system without blocking use. This allows for easier maintenance, reducing intervention times by not requiring the pipes to be removed from the fittings. These exist in several versions, so that they can be adapted to the most diverse installation situations.

Code	Description	€
BP-D/08	By-pass with mixer without unstable valve	
BP-DP/06	By-pass with proportional mixer and unstable valve and draw-off valves	
BP-DP/08	By-pass with mixer without unstable valve and draw-off valves	
BP-FD/05	By-pass for filtration	
BP-FDP/05	Filtration by-pass with sampling taps	
BP-FR/05	Remote by-pass for filtration	
BP-R/06	Remote proportional mixer by-pass and unstable valve	
BP-RP/06	Remote by-pass with unstable valve and draw-off tap	

BY-PASS FITTINGS

Code	Description	€
K-490/05	Reduction kit 1" 1/2 female for 3/4" male (2 pcs. kit)	
K-491/05	Reduction kit 1" 1/2 female for 1" male (2 pcs. kit)	
494-L/05	Brass fitting kit 1" 1/2- 1" 1/4 (1 pc)	



COUNTERS

Code	Description	€
2296/05	Turbine counter G 1" 1/2	
2297-2M/05	Turbine counter G 3/4" double magnet	
2297/05	Turbine counter G 3/4" (4910990)	



MISCELLANEOUS ACCESSORIES

Code	Description	€
2161/05	needle valve	
2162-A/05	Check valve (black) NaOH	
2162-K1/05	Acid check valve (HCl) Viton FPM	
2163/05	Conductivity probe	
563-V/05	O'ring for Viton non-return valve	
590-A/05	Chlorine generator 3/8" - 3/8" MM (for V1 32 valves)	
590-B/05	Chlorine generator 3/8" - 3/8" FM (for V1 32 valves)	
BR1-100/05	Brine Valve H.100 cm Pipe 9 mm	
2184/05	Interface Aquaionic series single	

7.3 SIATA TIMER TIMER SIATA BASE LINE



SFE

Code	Description	€
SFE-BK0/05	SFE timer twin pilots	
SFE-BK0/06	SFE volumetric twin pilot timer	
SFE-BK0C/05	SFE chronometric timer for twin pilots	
SFE-BK0C/06	SFE volumetric timer p/chlorine twin pilots	
SFE-BK201/05	SFE Timer 2 pilots	
SFE-BK301/05	SFE timer 3 pilots	
SFE304/05	SFE 3-pilot timer for 5-valve hydropneumatic filters	
SFE-BK409/05	SFE Timer 4 pilots	



SFE-EV

Code	Description	€
SFV0/05	SFE-EV timer twin pilots	
SFV0/06	SFE-EV volumetric twin pilot timer	
SFV0C/05	SFE-EV chronometric timer for twin pilots	
SFV0C/06	SFE-EV volumetric timer for twin pilots	
SFV215/05	SFE-EV timer 2 pilots	
SFV328/05	SFE-EV timer 3 pilots	
SFVDPX502/05	SFE-EV PRO Duplex Std outlet shut-off single effect valves	
SFVDPX604/05	SFE-EV PRO Duplex outlet shut-off w/double effect valves	
SFVDPX702/05	SFE-EV PRO Duplex Std w/ suction shut-off and 3 way valve for alternance	
SFVDPX710/05	SFE-EV PRO Duplex softening for 3 way valve system	



AQUAIONIC

Timer for automatic regeneration of demineralisation systems. Can be used with 2 or 3 Siata type valves. It allows continuous monitoring of conductivity.

Technical specifications:

220V supply voltage on transformer

- Power supply frequency 50-60 Hz from programme

Start of regeneration

With conductivity set point

Immediate volumetry via Siata Turbine or Reed counter

Via external impulse (Remote Starter)

Manual

Code	Description	€
AI5-02/05	Aquaionic Controller 5 Demineralisation Pilots	
AI7-02/05	Controller Aquaionic 7 demineralisation pilots	
AI7-02/08	Controller Aquaionic 7 pilots demineralisation 9 stop	



TIMER FOR PROFILTER VALVES

Automatic regeneration timer with cams designed specifically for driving Profilter series valve systems. Can be used with one or more valves. The characteristics of each timer are based on those of the electronics family to which it belongs.

Code	Description	€
SFE101/05	SFE Timer for Profilter valve 1 pilot only countercurrent	
SFE210/05	SFE Timer for Profilter 2-pilot valve	
SFE410/05	SFE Timer for Profilter valves in parallel 4 pilots	

7.4 SIATA SPARE PARTS

SPARE PARTS V132 V230 V240

Code	Description	€
2256-K01/05	Valve body service kit V132	
2256-K02/05	Valve body service kit V132 volumetric	
2258-K01/05	Valve body kit V230 fe	
2258-K02/05	Valve body kit V230 fe volumetric	
2222/05	Internal turbine assembly	
2231-B/05	Injector assy - blue	
2231-F/05	Injector for filter valves	
2231-G/05	Injector assy - grey	
2231-M/05	Injector assy - brown	
2231-N/05	Injector assy - black	
2231-R/05	Injector assy - red	
18-K/05	Injector screen	
66/05	Nut + tube sleeve - kit 1 pc	
66-K/05	Nut + tube sleeve - kit 100 pcs	
K1-31	Twin pilot drain tubing kit - 10 pcs	
2250/05	Twin pilot assembly for valves V132/V230/V240	
2250-N/05	Twin pilot assembly for valves V132/V230/V240 - black version	
2252-1/05	External pilots connections assy for valves V132/V230/V240	
2252-IN/05	External pilots connections assy for valves V132/V230/V240 - black version	
105-AS1/05	Quick connection elbow 1/8" threaded - kit 4 pcs	
K-23/05	1/8" cap with O-ring - kit 10 pcs	
K-23-N/05	1/8" cap with O-ring - kit 10 pcs - black version	
22-AK/05	Twin pilot manifold assy	
22-ANK/05	Twin pilot manifold assy - black version	
22-BK/05	Twin pilot manifold assy with 1/8" connection	
22-BNK/05	Twin pilot manifold assy with 1/8" connection - black version	
22-CK/05	Short manifold	
22-CNK/05	Short manifold - black version	
22-DK/05	Short collector with insert and screw - kit	
22-DNK/05	Short collector with insert and screw - kit - black version	
24509-01	Mixing assy	
K-2224-A/05	Turbine sensor holder nut - kit 10 pcs	
K-70-1	Flow control ø3-mm. & 320 l/h (#70-1) - kit 10 pcs	
K-70-2	Flow control ø3.5-mm. & 480 l/h (#70-2) - kit 10 pcs	
K-70-3	Flow control ø4-mm. & 700 l/h (#70-3) - kit 10 pcs	
K-70-4	Flow control ø5-mm. & 950 l/h (#70-4) - kit 10 pcs	
K-70-5	Flow control ø6-mm. & 1450 l/h (#70-5) - kit 10 pcs	
K1-2249/05	Drain hose elbow for twin pilots valves - kit 5 pcs	
K1-2249-N/05	Drain hose elbow for twin pilots valves - black version - kit 5 pcs	
K1-2249-C/05	Drain hose elbow for external connection valves - kit 5 pcs	
K1-2249-CN/05	Drain hose elbow for externa connection valves - black version - kit 5 pcs	

Code	Description	€
K1-2249-A/05	Drain connection 1" BSP male - kit 5 pcs	
K1-2249-AN/05	Drain connection 1" BSP male - kit 5 pcs - black version	
2230/05	Pistons w/ seals & spacers assy	
2230-D/05	Pistons w/ seals & spacers assy for demineralization cationic	
1918/05	Inlet piston assy	
1918-C/05	Outlet piston assy	
1915/05	Valve cap assy	
1915-N/05	Valve cap assy - black version	
K1-1518/05	Seals & spacers pack closure nut - kit 10 pcs	
K1-14	Short spacer - kit 10 pcs	
K1-44	Internal O-rings - kit 10pcs	
K1-45	External O-rings - kit 10 pcs	
K1-13	Seals holder ring - kit 10 pcs	
K1-15	Medium length spacer - kit 10 pcs	
K1-16	Longer spacer - kit 10 pcs	
1002-D32	Bottom strainer (ø 32.mm) for valve V132	
1001-321	Upper strainer for valve V132	
K-10028	Driver replica connection	
K-9-S/05	Drain connection lock pin - kit 10 pcs	
K-9/05	Inlet/outlet connection lock pin - kit 10 pcs	
K-46-1/05	Rise pipe O-ring for valve V132 - kit 10 pcs	
K1-6300-62	Tank adapter O-ring for V132 - kit 10 pcs	
1006-A/05	Bottom strainer (ø 0.3 mm) for valve V230 (standard)	
1006-F/05	Bottom strainer (ø 0.8 mm) for valve V230 (for filtration)	
1006-D/05	Bottom strainer for valve V230 (for demineralisation)	
1005-A/05	Upper strainer (ø 0.3mm) for valve V230 (standard)	
1005-F/05	Upper strainer (ø 0.8mm) for valve V230 (for filtration)	
1005-D/05	Upper strainer for valve V230 (for demineralization)	
5174-K/05	Rise pipe O-ring for valves V230 & 250 - kit 10 pcs	
5173-PK/05	Tank adapter O-ring for valvs V230 & 250 - kit 10 pcs	
K1-104	Timer fixing screws - kit 10 pcs	
32-GR/05	Small piston for twin pilot assy - corrected for valve V132	
137-B1/05	Inlet/outlet O-ring for valve V230 - kit 2 pcs	
2257-K01/05	Valve body service kit V240 time clock with quick connections	
2257-K03/05	Valve body service kit V240 time clock with threaded connections	
2257-K04/05	Valve body service kit V240 volumetric with threaded connections	
K-41/05	Piston O-rings - kit 10 pcs	
K-102-L1/05	Short manifold screws - kit 10 pcs	
590-A/05	Chlorine cell remote mount	
590-B/05	Chlorine cell direct mount	

SPARE PARTS V250 V260

Code	Description	€
5145-BC1/05	Outlet body assembled kit (internal parts included)	
5121-ML/05	V250 outlet body + cap (internals not included)	
5145-AC1/05	Inlet body assembled kit (internal parts included)	
5120-ML/05	V250 inlet body + cap (internals not included)	
5110-BC/07	Outlet body seals and spacers kit	
5110-BC/08	Outlet body seals kit for demineralization	
5110-AC/07	Inlet body seals and spacers kit	
5110-AC/08	Inlet body seals kit for demineralization	
5141-1/05	Piston kit	
2237-2/05	Kit piston + seals spacers V250 V260	
5130-1/05	Cap spare parts	
5191-1K/05	V250 controller bracket	
5100-250A/06	Backwash valve kit complete double effect	
5180-P/06	Inlet/outlet manifold - after 2007	
5160/05	V260 by-pass valve kit	
6110/05	Drain + flow carrier kit	
2265-I/05	Kit fitting socket 2" ext > 1 ¼" int (nylon)	
K-9-S/05	Drain connection lock pin - kit 10 pcs	
K-70-345	Kit flow control ø 4-5-6mm. - 9pcs (3 x 3pcs)	
5150-B1/05	Blue injector kit	
5150-N1/05	Black injector kit	
5150-F1/05	Filtration injector kit	
66/05	Nut + tube sleeve - kit 1 pc	
66-K/05	Nut + tube sleeve - kit 100 pcs	
18-K/05	Injector's filter - kit 10 pcs	
5152-K/05	Injector cap fixer nut - kit 10 pcs	
5154-K/05	Safety threads kit	
5170-F/05	Tank adapter safety locker - kit 2 pcs	
K-5174-1	O-ring v250 adapter to valve - kit 10pcs	
5173-PK/05	Tank adapter external O-ring - kit 10 pcs	
5174-K/05	Tank adapter internal O-ring - kit 10 pcs	
5170-A/05	Tank adapter kit	
5200-A/05	Top filter (softening) kit	
5200-F/05	Top filter (filtration) kit	
5200-D/05	Top filter (demineralization) kit	
5201-A/05	Softening bottom filter kit	
5201-F/05	Filtration bottom filter kit	
5201-D/05	Demineralization bottom filter kit	
5154-K/05	Safety threads kit	
K-403	Piston O-ring kit 6325 nbr 70Sh (Id 81.92 x Cd 3.53)	
K1-5111/05	V250-v260 circlip - kit 10 pcs	
5145-ACF1/05	Inlet body assembled with internals	

Code	Description	€
5120-MFL/05	Inlet valve body + cap	
5145-BCF1/05	Outlet body assembled with internals	
5121-MFL/05	Outlet valve body + cap	
K-10100	V360 blue - outlet valve body kit	
K-10101	V360 black - outlet valve body kit	
K-10102	V360 blue - inlet valve body kit	
K-10103	V360 black - inlet valve body kit	
K-10107	V360 blue - inlet filter valve body kit	
K-10108	V360 black - inlet filter valve body kit	
1958/05	V360 - long piston kit	
1958-C/05	V360 filter - short piston kit	
1958/05	V360 - long piston kit	
2235/05	V360 - complete internal components assy kit	
2235-F/05	V360 filter - spare kit pistons	
K-10082	V360 - inlet seals and spacer assy kit	
K-10109	V360 filter - inlet seals and spacer assy kit	
K-10083	V360 - outlet seals and spacer assy kit	
K-10112	V360 filter - outlet seals and spacer assy kit	
1955/05	V360 - cap assy kit	
2236-B/05	V360 blue - blue injector kit	
2236BK-B/05	V360 black - white injector kit	
2236-R/05	V360 blue - red injector kit	
2236BK-R/05	V360 black - red injector kit	
2236-N/05	V360 blue - black injector kit	
2236BK-N/05	V360 black - black injector kit	
2236-G/05	V360 blue - grey injector kit	
2236BK-G/05	V360 black - grey injector kit	
K-10104	V360 - in/out bodies connection bolts kit	
K1-47	O-ring #47 10 pcs kit	

SPARE PARTS V350 V363 3V

Code	Description	€
350-106/05	Kit main piston V350FE V350BWFE	
350-106904/05	Kit main piston V350FE V350BWFE Sea Water	
351-106/05	Kit main piston V363FE V363BWFE	
351-106904/05	Kit main piston V350FE V363BWFE Sea Water	
350-105/05	Kit lower cylinder for main piston w/seals V350	
351-105/05	Kit lower cylinder for main piston w/seals V363	
350-107/05	Kit upper cylinder V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
351-107/05	Kit upper cylinder for main piston V363	
351-107904/05	Kit upper cylinder for main piston - Sea Water	
350-108/05	Kit tie tension road V350FE	
351-108/05	Kit tie tension road V363FE	

Code	Description	€
351-110/05	Kit tie tension road V363BWFE	
351-103/05	Kit closure screw head V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
351-104/05	Kit closure screw head for main piston V363	
350-5/05	Kit closure head w/O-ring V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
350-5N/05	Kit closure head w/O-ring V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block black	
K-351-5/05	Kit closure head for main piston w/O-ring V363	
K-351-5N/05	Kit closure head for main piston w/O-ring - black version V363	
350-4L/05	Kit block guide for main piston w/O-ring V350	
351-4L/05	Kit block guide for main piston w/O-ring V363	
K-350-4NL/05	Kit block guide for main piston w/O-ring - black version V350	
K-351-4NL/05	Kit block guide for main piston w/O-ring - black version V363	
350-1/05	Kit in/out single block w/O-rings V350	
351-1FE/05	Kit in/out single block w/O-rings V363	
K-350-1N/05	Kit in/out single block w/O-rings - black version V350	
K-351-1FEN/05	Kit in/out single block w/O-rings - black version V363	
351-101/05	Kit lower small cylinder for rinse block V363 3V 63FE	
350-107/05	Kit upper cylinder V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
350-102/05	Kit piston for rinse block V350 3V 50FE	
350-102904/05	Kit piston stainless steal (aisi-904) for rinse block - Sea Water V350 3V 50FE	
351-102/05	Kit piston for rinse block V363 3V 63FE	
351-102904/05	Kit piston stainless steal (aisi-904) for rinse block - Sea Water V363 3V 63FE	
350-5/05	Kit closure head w/O-ring V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
350-5N/05	Kit closure head w/O-ring V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block black	
351-103/05	Kit closure screw head V350 main piston & V350 V363 3V-50FE 3V-63FE rinse block	
350-109/05	Kit piston guide axis for rinse block V350 3V 50FE	
351-109/05	Kit piston guide axis for rinse block V363 FE 3V 63FE	
351-3FE/05	Kit bottom open flange w/O-rings V363 FE 3V 63FE	
K350-3/05	Kit bottom open flange w/O-rings V350 3V 50FE	
K-350-3N	Kit bottom open flange w/O-rings - black version V350 3V 50FE	
K-351-3FEN	Kit bottom open flange w/O-rings - black version V363FE 3V 63FE	
350-2L/05	Kit rinse block body w/O-ring V350 3V 50FE	
350-2NL/05	Kit rinse block body w/O-ring - black version V350 3V 50FE	
351-2FE/05	Kit rinse block body w/O-ring V363FE 3V 63FE	
351-2FEN/05	Kit rinse block body w/O-ring - black version V363FE 3V 63FE	

SFE SPARE PARTS

Code	Description	€
856-SFE-K1	SFE controller front plate kit with standard lable	
K-7930-24	Electronic board SFE standard w/ chloride driver	
K-7930-23	Electronic board SFE standard	
94-R7K/05	Standard 12V motor kit	
K-10117	SFE back connector kit w/internal wiring	
K-10110	Kit meter cable for back connector	
K-10111	Chloride cell cable for back connector	
k-10113	SFE back connector cover cap - kit 10 pcs	
K-10009	Standard transformer 230/12 VAC 600mA	
K-90	Cable lock cllip - kit 10 pcs	
2229/05	Twin pilot cam kit	
K-10114	Kit SFE standard box - blue version	
K-10115	Kit SFE standard box - black version	
K88-L2/05	Kit aux and homing for microswitch with blue support	
K88-BKL2/05	Kit aux and homing for microswitch with black support	
K-10118	Microswitch red harness kit	
K-10147	Kit blue spacer 10 pcs	
K-10145	Kit black spacer 10 pcs	
K-10148	Kit blue spacer w/ chamfer 10 pcs	
K-10146	Kit spacer w/ chamfer, timer 10 pcs	
2253-AM/05	Kit external pilot with blind holes (1th pilot) - blue version	
2253-AMN/05	Kit external pilot with blind holes (1th pilot) - black version	
2253-BM/05	Kit external pilot with clearance holes - blue version	
2253-BMN/05	Kit external pilot with clearance holes - black version	
468-K2	Tie rods & nuts kit for 2 pilot camshaft	
468-K3	Tie rods & nuts kit for 3 pilot camshaft	
468-K4	Tie rods & nuts kit for 4 pilot camshaft	
433-KBM/05	Camshaft backplate kit - blue version	
433-KNM/05	Camshaft backplate kit - black version	
2221-2/05	Kit cam 201 - 2 standard pilots	
2221-3CU/05	Kit cam 301 - 3 pilots outlet shut-off	
2221-4AU/05	Kit cam 409 - 4 pilots outlet + suction shut-off	
2221-4FBW/05	Kit cam 410 - 4 pilots for 2 filters sequential regeneration	
K-114-DX	Spring for standard motor - kit 10 pcs	
K-92-F	Kit microswitch 10 pcs	
K-118	Screw #118 - kit 25 pcs	
K1-120	Screw #120 - kit 10 pcs.	

SPARE PARTS SFE-EV VIRIDION

Code	Description	€
K-10002/01	Blax Box w/Cover SFE-EV Viridion	
K-10025/01	kit Elec.Board SFE-EV w/Frame & Screws	
K-10164	Interf. SFE-EV SPX/VIR w/Flat Cable	
94-R7K/05	Kit Motor 1 G/1" 12V 50 HZ	
K-10001	Assy Drive Cam	
2221-215/05	Cam 2 Pilots w/Gear	
2229-1/05	Cam Asimetric SFE-EV Viridion Twin Pilot Assy	
95-STD1	Transformer 230/115 VAC 0.6	
K-10008	SFE-EV Viridion Back Cover Assy	
468-K3	Coupling Bar 3 External Drivers Assy	
468-K2	Coupling Bar 2 External Drivers Assy	
433-KNM/05	Camshaft black backplate Assy	
2253-BMN/05	Pilot Black 6mm Siata Assy	
2253-AMN/05	Terminal Pilot Black 6mm Siata Assy	
K-10003	SFE-EV Viridion Black Bracket Assy	
K88-BKL2/05	Kit aux & homing microswitch black	
K-10110	Kit meter cable 50cm for back connector	
K-10111	Chloride cell cable for back connector	
K-10129	Kit conductivity probe harness L=750mm	
K-10130	Kit conductivity probe harness L=1500mm	
K-10058	Kit Sensor w/Electrode Chlorine GE	
K-10151	Kit for SFE-V TP + Conductivity Probe	
K-10004	Brine Valve Assy 1 GPM	
K-10131	Chlorinator kit W/ cable	
K-10055	Drain housing with sensor inlet for V132&V230	
K-10056	Drain housing with sensor inlet for V250 & V360	
K-10162	El.Board SFE-EV PRO w/screw & Frame Assy	
K-10164	Interf. SFE-EV PRO SPX w/Flat Cable Assy	
K-10165	Interf. SFE-EV PRO DPX w/Flat Cable Assy	
94-R7K/05	Kit Motor. 1 G/1" 12V 50 Hz	
K-10166	Black Bracket w/o BV Assy	
2221-5A/05	Cam 502 Standard duplex 5 pilots Assy	
2221-7A/05	Cam 702 Standard duplex 5 pilots Assy	
K-10008	SFE-EV Back Cover Assy	
K-10009	Transformer 230/11.5 VAC 0.6 w/Strain	
88-BKL2/05	Kit aux & homing microswitch black	
K-10163	Black Box W/Cover SFE-EV PRO Assy	
433-KNM/05	Camshaft black backplate Assy	
2253-BMN/05	Pilot Black 6mm Siata Assy	
2253-AMN/05	Terminal Pilot Black 6mm Siata Assy	
468-K1	Couplin Bar 1 External Drivers Assy	
468-K2	Couplin Bar 2 External Drivers Assy	

Code	Description	€
468-K3	Couplin Bar 3 External Drivers Assy	
468-K4	Couplin Bar 4 External Drivers Assy	
468-K5	Couplin Bar 5 External Drivers Assy	
468-K6	Couplin Bar 6 External Drivers Assy	
468-K7	Couplin Bar 7 External Drivers Assy	
K-10015	Distribitur Bracket w/Screws Assy	

MISCELLANEOUS

SPARE PARTS V132 V230 V240

Code	Description	€
2258-D/05	O-rings kit for V132 demi	
2258/05	O-rings kit for V132	
2260/05	O-rings kit for V240	

SPARE PARTS V250 V260

Code	Description	€
2261-1/05	V250 complete O-ring set (softening and filtration)	
52-AK/05	O-ring 52-A (10 pieces) kit	
135-K/05	Injector O-rings (100 pieces) kit	
5153-A/05	Injector cap kit	
2265-D/05	Fitting kit 1" ABS SIATA for V260 separated bodies	
K1-5113	V250-V260 internal spacer O-ring (10pcs)	
K1-402	V250-V260 external O-ring kit (10pcs)	

SPARE PARTS V360

Code	Description	€
2262/05	Seal kit O-rings V360 valve	
K-10105	V360 - cap lock circlip 10 pcs kit	
K-10106	V360 - cap lock spring 10 pcs kit	
200-K/05	Quick connection cartridge 20 pcs kit	
K1-45	O-ring #45 10 pcs kit	
K-10149	Kit stem elbow for tube 6 mm - 4 pcs	

SFE TIMER SPARE PARTS

Code	Description	€
92-KIT/05	Kit aux microswitch with adjustable break-away disk	
K-202-M	Quick connect plug 6mm (red) for Siata external distributors (10pcs)	

OBSOLETE TIMER SPARE PARTS (AQUA CUBIC, ...)

Code	Description	€
81-A/05	Kit standard box assembly for timer (microswitch not included)	
94-R7K/05	Kit controller-motor 1 rpm 12V 50Hz for all standard electronic timers	
K88-L2/05	Kit aux and homing microswitch blue	
2253-AM/05	Kit terminal pilot quick connection 6mm.	
2253-BM/05	Kit pilot through quick connection 6mm.	
K-10148	Kit blue spacer w/ chamfer 10 pcs	
K-10147	Kit blue spacer 10 pcs	
468-K2	Tie rods & nuts kit for 2 pilot camshaft	
468-K3	Tie rods & nuts kit for 3 pilot camshaft	
468-K4	Tie rods & nuts kit for 4 pilot camshaft	
468-K5	Tie rods & nuts kit for 5 pilot camshaft	
468-K6	Tie rods & nuts kit for 6 pilot camshaft	
468-K7	Tie rods & nuts kit for 7 pilot camshaft	
433-KBM/05	Camshaft blue backplate kit	
2221-2/05	Kit cam 201 - 2 standard pilots	
2221-3CU/05	Kit cam 301 - 3 pilots outlet shut-off	
2221-4AU/05	Kit cam 409 - 4 pilots outlet + suction shut-off	
2221-4FBW/05	Kit cam 410 - 4 pilots for 2 filters sequential regeneration	
2221-5A/05	Kit cam for Aquacubic - 5 pilots duplex	
2221-7B/05	Kit cam for Aquaionic - 7 pilots	
2229/05	Kit cam program timer new pilot	
K1-101	Cam fixing screw for V132-V230-V240 controller	
K1-104	Controller mounting screw for V132-V230-V240 - kit 10 pcs	
K-114-DX	Standard motor spring - kit 10 pcs	
K-92-F	Microswitch - kit 10 pcs	

ACCESSORIES SPARE PARTS

Code	Description	€
136-K	L-shaped anti-acid red connector	
1548-ASS/05	Connection elbow assembly for brine	
5160-A/05	Bypass non-return service valve kit	
549-F/05	Lateral flanged bypass hole \varnothing 1/4"	

ELECTRONIC BOARD

Code	Description	€
869-K/05#STD	Kit electronic board XP controller complete	
869-MK/05#STD	Kit electronic board XP mode complete	
872-9SK/05#STD	Kit electronic board Aquaionic 9 stops	
872-E2K/05#STD	Kit electronic board Aquaionic standard	
873-ATK/05#STD	Kit electronic board Aquatimer with 1 DIN plug	
873-SPK/05#STD	Kit electronic board Aquatimer with 3 DIN plugs	
875-16K/05	Kit electronic board hydraulic distributor duplex	

ALIMENTATION - CONNECTIONS

Code	Description	€
95-STC1	Transformer 230V --> 11.5V / 6 VAC 0.6 A (for chlorine production)	
95-STD1	Transformer 230V --> 11.5V / VAC 0.6 A	
2223-140/05	Turbine water meter cable - length 140cm	
2223-2M/05	Turbine water meter cable - length 200cm	
2223-4M/05	Turbine water meter cable - length 4m	
2223-50/05	Turbine water meter cable - length 50cm	
2223-70/05	Turbine water meter cable - length 70cm	
2223-D50/05	Turbine water meter cable with DIN connection 50cm	
2223-D140/05	Turbine water meter cable connection DIN 140cm	
861-AK/05	Kit connection DIN plug A (180)	
861-ASS/05	Assembly connecting DIN 180+270+360	
861-BK/05	Kit connection DIN plug B (270)	
861-CK/05	Kit connection DIN plug C (360)	
861-DK/06	Kit connection DIN plug D	
867	Electronic P.C.B. battery	

BOXES MECHANIZED TIMERS

Code	Description	€
BOX-2P/06	2-pilots mechanized box without transformer	
BOX-7P/05	7-pilots mechanised box for DEMI (demineralisation)	
BOX-7P/06	7-pilots mechanized box for DEMI (demineralisation) w/ 2m cable	

OTHER

Code	Description	€
111-C	ST & SP controller blank cover plate	
470	Bracket support timer for valve V360	
5190	Controller holder assembly for valve V260	
5191-1K/05	Controller bracket for valve V250	
82	Clear cover for controller box	

